




600 SERIES

HTM6

Bowers & Wilkins

The HTM6 centre channel speaker in the new 600 Series from Bowers & Wilkins transforms your home with pristine sound. Since 1966, we've made technological advances to design the perfect loudspeaker, and our latest innovations bring that heritage to music and movie lovers alike. Featuring our award-winning Continuum cone technology, the new 600 Series centre channel creates a pure soundscape. Developed over an eight-year period and first featured on our flagship 800 Series Diamond models, the Continuum cone has been integrated into the sixth generation of the critically acclaimed 600 series. In this latest iteration, we've merged our HTM62 S2 and HTM61 S2 centre channel options into one powerful, punch-packing speaker. Now a compact and living room-friendly package, the centre channel speaker offers 603-matching levels of performance from a smaller, more preferred size for your home. Transform your space into a beautiful sound session with the HTM6.



Technical features	Decoupled Double Dome aluminium tweeter Continuum cone bass / midrange Flowport™	
Description	2-way vented-box system	
Drive units	1x ø25mm (1 in) aluminium dome high-frequency 1x ø130mm (5 in) Continuum cone bass / midrange	
Frequency Range	-6dB at 42Hz and 33kHz	
Frequency Response	72Hz - 28kHz ±3dB	
Sensitivity	87dB spl (2.83Vrms, 1m)	
Harmonic Distortion	2nd and 3rd harmonics (90dB, 1m) <1% 100Hz - 22kHz <0.5% 200Hz - 22kHz	
Nominal impedance	8Ω (minimum 4.3Ω)	
Recommended amplifier power	30W - 120W into 8Ω on unclipped programme	
Dimensions	Height: 160mm (6.3 in) Width: 480mm (18.9 in) Depth: 255mm (10.0 in) cabinet only 279mm (11.0 in) including grille and terminals	
Net Weight	7.8kg (17.2 lb)	
Boxed Weight	9.2kg (20.3 lb - single)	
Finishes	Cabinet:	Grille:
	Black White	Black Grey

