

SONANCE

SPECIFICATION GUIDE



WELCOME TO SONANCE

At Sonance, we believe that audio should sound superb. That is a given. We at Sonance also believe that speakers should blend in with the design of a space, whether it is a home, a business, indoors or outdoors; Speakers should be an integral part of the design of a space in addition to providing excellent, comfortable listening enjoyment. The right choice not only complements your design, it becomes a part of the design, as deliberate and personal as the flooring below and the lighting above.

Over 30 years after we invented the first in-wall speaker, we realize that our history, innovative approach and relationships not only drive our dedication to the audio channel, but also inform our unique TRUFIG mounting technology and inspire the creation of our IPORT solutions, and it is these core values that will continue to lead the way for whatever we might dream up next. We're so proud to invite you to experience the new Sonance: a simple brand refresh that both recalls our roots and launches us boldly into the future. This is SONANCE: BEYOND SOUND.

SONANCE

BEYOND SOUND

DESIGNED TO DISAPPEAR

Technology should disappear into architecture. This simple philosophy continues to inspire everything we do. Our hidden audio solutions deliver an even, balanced sound experience that is nothing short of magical, blending into any style, installation or budget.

AUTHENTIC PARTNERSHIP

Every day at our home base in San Clemente, California, you will find passionate, immensely knowledgeable people forging some of the strongest relationships in our industry. From our customer-centric culture to our not-to-be-missed Studio Seminars, we aim to define what authentic partnership looks like. Connecting our strategy and products to your company, we help unlock the most value possible for your business. [Our team is your team.](#)

A HERITAGE OF INNOVATION

The history of our independently-owned company is rooted in a deep knowledge of our customers and construction. From award-winning audio solutions to our unique TRUFIG mounting technology to our IPORT solutions that hold, charge, and protect tablets; customers rely on our culture of creativity to continue to push the boundaries of technology and design.

TABLE OF CONTENTS

6-8	WE BELIEVE
9-16	DISTRIBUTED AUDIO
15-16	Invisible Series
17-18	Architectural Series
19-22	Visual Performance
23-26	Amplifiers
27-30	SURROUND SOUND
31-34	Reference
35-38	Subwoofers
39-40	Soundbar
41-44	OUTDOOR AUDIO
45-48	Sonance Landscape Series
49-54	Sonance Garden Series
55-58	Sonarray
59-60	Extreme
61-62	Mariners and Rocks
63-66	COMMERCIAL SOLUTIONS
67-68	Professional Series
68-74	IPOINT
75-78	TRUFIG
79-80	DESIGN SERVICES

WE BELIEVE

WE BELIEVE SPEAKERS SHOULD BLEND IN WITH THE DESIGN OF YOUR SPACE...



Audio is very much an integral part of the overall design of a space. When consideration is taken during the conceptual phase, the audio design can be a purposeful and elegant addition to a room while providing stunning audio to enhance the activities of everyday life. By taking cues from other architectural and lighting elements in a room, an audio system can discreetly blend into the surroundings, contributing nothing more than superb sound.

Lights in a ceiling are often selected to achieve suitable illumination for even coverage and to visually complement the design of the space. In order to achieve a harmony between lights and speakers, it makes sense for them to have a similar appearance. You can suit every aesthetic by selecting speakers that are the same shape, size, and installation profile as the lighting.



...AND BE COMFORTABLE TO LISTEN TO.


Music is a simple yet powerful element that enhances our day-to-day activities. We believe that audio should provide a comfortable listening environment by fidelity, output and proper coverage. When designed with these in mind, an audio system can contribute a comfortable listening experience that complements the enjoyment of activities without causing visual distraction.



SONANCE
DISTRIBUTED
AUDIO


TRADITIONAL COVERAGE

Only two speakers in a room often results in uneven volume throughout the space; too loud under the speakers and too quiet away from them. Similarly, if there are only two lights in a room, there would be problems with hot spots where some areas are too bright and other areas are too dim.




EVEN, BALANCED COVERAGE

By using several smaller satellite speakers, hidden subwoofers and DSP amplification, greater audio quality can be achieved without the visual distraction of large audio components in the room.




A BETTER APPROACH TO HOME AUDIO

Many homes are built with a variety of room sizes, from large, open areas conducive to an immersive sound experience, to smaller enclosed areas where immersive sound is not critical. To achieve the desired audio performance in each room, a mix of speaker systems may be utilized; from systems with satellite speakers and hidden subwoofers, to those resembling a more traditional speaker pair solution.



TRADITIONAL COVERAGE


Uneven audio levels will compromise the mood in the room, resulting in "hot spots".



EVEN, BALANCED COVERAGE

Everyone enjoys the perfect audio level, no matter where they are in the room.






SEE NOTHING

Sonance Invisible Series is the ultimate expression in architectural audio. Installed into the wall or ceiling and then finished over with the surrounding surface, Invisible Series speakers deliver ambient music that emanates throughout the space, seemingly coming from nowhere.




Sonance Invisible Series speakers and woofers are finished using TRUFIG mounting technology, a standardized custom installation method that has revolutionized the industry, saving integrators time and money by making the process predictable, reliable, and repeatable.

PERFORMANCE AND DESIGN




STATE-OF-THE-ART DESIGN AND CONSTRUCTION

Sonance Invisible Series speakers feature a high-quality extruded aluminum chassis and injection molded polypropylene diaphragm for many years of reliable service and peace of mind.



SUPERIOR SOUND

Sonance Invisible Series speakers reproduce full range audio, including crystal clear treble, natural midrange and deep smooth bass response. The result is best-in-class sonic performance that sets the benchmark for the Invisible Speaker category.



WIDE DISPERSION

Sonance Invisible Series features a best-in-class 170° of dispersion, which means the sound is spread out wider from the speaker, delivering even volume levels and better sound quality throughout the entire space.


SPEAKERS



SMALL 2-WAY SPEAKER: IS2
Dimensions (WxHxD): 16 3/32" x 12 3/32" x 2"

LARGE 3-WAY SPEAKERS: IS4 | IS4 SST | IS4 C
Dimensions (WxHxD): 16 1/8" x 24 1/8" x 3 11/16"

WOOFER



ISW
Dimensions (WxHxD): 16 1/8" x 24 1/8" x 2"


CUSTOM PARTS



ARCHITECTURAL SERIES

STUNNINGLY SIMPLE

Sonance Architectural Series products provide the ultimate blend of high performance and the premium aesthetic of our signature TRUFIG finish. The completely flush and bezel-less grilles disappear into the surrounding ceiling surface while the state-of-the-art driver materials and cutting-edge design elevate the listening experience.



Architectural Series mounting platforms use TRUFIG mounting technology to provide precision alignment with light fixtures and other room elements. The result is completely flush and the highest quality finish for drywall, plaster, wood and other solid surfaces preserving the design integrity of the space.

DISCREET OPENING



AS38RS
Dimensions (DiaxD): 3 7/8" x 3 13/16"



Discreet Gypsum Mounting Platform Round



Discreet Gypsum Mounting Platform Square



Discreet Solid Surface Mounting Platform SQ & R

DISCREET GYPSUM MOUNTING PLATFORM
5/8" Square or Round | 1/2" Square or Round

DISCREET SOLID SURFACE MOUNTING PLATFORM
Square and Round

Dimensions (WxHxD): 12" x 31 7/8" x 1 15/32"


MEDIUM



AS68RS
Dimensions (DiaxD): 8" x 5 3/16"



Medium Gypsum Mounting Platform Round



Medium Gypsum Mounting Platform Square



Medium Solid Surface Mounting Platform SQ & R

MEDIUM GYPSUM MOUNTING PLATFORM
5/8" Square or Round | 1/2" Square or Round

MEDIUM SOLID SURFACE MOUNTING PLATFORM
Square and Round

Dimensions (WxHxD): 16 3/8" x 30 13/32" x 3 13/16"

BANDPASS SUBWOOFERS

Requires DSP 2-150 MKII or DSP 8-130 MKII amplification.



BPS8 SUBWOOFER
Dimensions (HxWxD): 9 1/4" x 12 5/16" x 24"

Accessories: ASBPC6RS
Medium 1/2" or 5/8" Gypsum MP SQ or R
Medium Solid Surface MP SQ & R



BPS6 TL

ASBPC3RS TL

Round Grille

Square Grille



Square or Round Discreet Gypsum Mounting Platform TL for in-wall applications and shallow depth construction.

Thin-line Bandpass Slot Connector



BPS6 TL SUBWOOFER
Dimensions (HxWxD): 39 3/8" x 11" x 3 3/8"

Accessories: ASBPC3RS TL
5/8" or 1/2" Gypsum MP SQ or R TL
Thin-line Bandpass Slot Connector



BPS6 SUBWOOFER
Dimensions (HxWxD): 7 7/8" x 11 15/16" x 15 3/4"


Accessories: ASBPC3RS
Discreet 1/2" or 5/8" Gypsum MP SQ or R
Discreet Solid Surface MP SQ & R
Thin-line Bandpass Slot Connector



VISUAL PERFORMANCE

SOLUTIONS FOR ALL

Sonance Visual Performance speakers and subwoofers set the industry standard for the visual finish of in-wall and in-ceiling speakers with our award-winning low-profile grille that is paintable to blend into the wall or ceiling surface. With three shapes and four sizes, several performance levels and a range of specialty application speakers, any space or application can have a consistent finish throughout.



PERFORMANCE LEVELS

Sonance Visual Performance Series speakers deliver renowned Sonance audio quality in five performance levels. Constructed from state-of-the-art materials that are extremely rigid and lightweight, Sonance Visual Performance Series speakers enable music to reproduce accurately and with precise detail. With multiple performance levels, there is a Sonance speaker for every ear and every budget.



LEVEL 0

WOOFER: Polypropylene cone, rubber surround
MID RANGE: Polypropylene cone, rubber surround
TWEETER: Cloth dome, Ferrofluid cooled



LEVEL 2

WOOFER: Textured Polypropylene cone, rubber surround
MID RANGE: Textured Polypropylene cone, rubber surround
TWEETER: Cloth dome, Ferrofluid cooled, pivoting



LEVEL 4

WOOFER: Textured Polypropylene cone, rubber surround
TWEETER: Powder coated Aluminum dome, Ferrofluid cooled, pivoting



LEVEL 6

WOOFER: Kevlar/Nomex laminated cone, rubber surround
MID RANGE: Kevlar/Nomex laminated cone, rubber surround, pivoting
TWEETER: Powder coated Aluminum dome, Ferrofluid cooled, pivoting




LEVEL 8

WOOFER: Carbon Fiber/Rohacell laminated cone, rubber surround, extended pole piece
MID RANGE: Carbon Fiber/Rohacell laminated cone, rubber surround, pivoting
TWEETER: Ceramic dome, Ferrofluid cooled, pivoting

SPEAKER DENOTATION

Sonance speakers can be easily identified by their naming structure.



SQUARE ADAPTER

Square grille adapter allows the flexibility to convert a round in-ceiling speaker to a square aesthetic without additional cutting into the surface.

DIRECTIONAL WOOFERS AND TWEETERS

Independently pivoting woofers and tweeters allow for placement of speakers where they look the great with directionality for the best sonic performance.

COLOR MATCHING

One-piece paintable grilles allow for a single-step painting process, ensuring a high-quality result and accurate color matching that allows them to disappear into the surrounding wall or ceiling.

IN-WALL



4" SPEAKERS: VP48 | VP46 | VP42
Dimensions (WxHxD): 5 9/16" x 8 7/8" x 3"

6" SPEAKER: VP68 | VP66 | VP62
Dimensions (WxHxD): 8 3/8" x 12 1/4" x 3 1/2"

8" SPEAKERS: VP88 | VP86 | VP82
Dimensions (WxHxD): 10" x 16" x 3 7/8"

IN-CEILING

Square adapter optional



3" SPEAKER: VP38R
Dimensions (DiaxD): 4 5/16" x 3 7/8"

4" SPEAKER: VP48R | VP46R | VP42R
Dimensions (DiaxD): 6 7/8" x 3 3/4"

6" SPEAKERS: VP68R | VP66R | VP64R | VP62R | VP60R
Dimensions (DiaxD): 9 3/4" x 4 3/4"

8" SPEAKERS: VP88R | VP86R | VP82R | VP80R
Dimensions (DiaxD): 11 5/8" x 6 1/16"

IN-CEILING C SERIES

Square adapter optional



6" SPEAKER: C6R | C6R SST
Dimensions (DiaxD): 9" x 3 3/4"

SQUARE ADAPTERS



VP3SQ
Dimensions (WxH): 4 29/32" x 4 29/32"

VP4SQ
Dimensions (WxH): 7" x 7"

VP6SQ
Dimensions (WxH): 9 7/8" x 9 7/8"

VP8SQ
Dimensions (WxH): 11 3/4" x 11 3/4"


THIN-LINE / ULTRA THIN-LINE



**IN-CEILING ROUND SPEAKERS: VP66R TL | VP62R TL
VP62R SST/SUR TL | VP52R UTL (Depth of 1 7/16")**
Dimensions (DiaxD): 9 3/4" x 3 5/32"

IN-WALL RECTANGLE SPEAKER VP66 TL
Dimensions (WxHxD): 5 9/16" x 8 7/8" x 2 1/2"

EXTREME



IN-WALL RECTANGLE SPEAKER: VPXT6
Dimensions (WxHxD): 8 3/8" x 12 1/4" x 2 1/2"

IN-CEILING ROUND SPEAKERS: VPXT6R | VPXT6R SST
Dimensions (DiaxD): 9 3/4" x 3 1/2"

IN-CEILING ROUND SPEAKER: VPXT8R
Dimensions (DiaxD): 11 5/8" x 3 3/4"

EXTREME SQUARE ADAPTERS



VPXT6SQ
Dimensions (WxH): 4 29/32" x 4 29/32"

VPXT8SQ
Dimensions (WxH): 11 7/8" x 11 7/8"

LCR



IN-WALL SPEAKERS: VP62 LCR | VP66 LCR
Dimensions (WxHxD): 5 9/16" x 8 7/8" x 3 9/16"

SINGLE STEREO



6" RECTANGLE SPEAKER: VP66 SST/SUR
Dimensions (HxWxD): 8 3/8" x 12 1/4" x 3 1/2"

4" SPEAKER: VP46R SST/SUR
Dimensions (DiaxD): 6 7/8" x 3 3/4"

6" SPEAKER: VP62R SST/SUR | VP66R SST/SUR
Dimensions (DiaxD): 9 3/4" x 4 3/4"

8" SPEAKER: VP86R SST/SUR
Dimensions (DiaxD): 11 5/8" x 5 7/8"

PRECONSTRUCTION ACCESSORIES



Round Flex Brackets

Round Retrofit Enclosures


Large Round Cover plate

Fire-rated Deep Backcan

Medium and Large Round Acoustic Enclosures

SUBWOOFERS

Requires DSP 2-150 MKII or DSP 8-130 MKII amplification.



SUBWOOFER: BPS8
Dimensions (HxWxD): 9 1/4" x 12 5/16" x 24"
Required Accessory: VPBPC4R or VPBPC6R

SUBWOOFER: BPS6 TL
Dimensions (HxWxD): 39 3/8" x 11" x 3 3/8"
Required Accessory: VPBPC3R TL or VPBPC3R

SUBWOOFER: BPS6
Dimensions (HxWxD): 7 7/8" x 11 15/16" x 15 3/4"
Required Accessory: VPBPC3R



SUBWOOFER: VPSUB
Dimensions (WxHxD): 15" x 15" x 3 7/8"

WOOFER: VP85R W
Dimensions (DiaxD): 11 5/8" x 3 7/8"

WOOFER: VP85 W
Dimensions (HxWxD): 16" x 10" x 3 7/8"



INDUSTRY-LEADING AMPLIFICATION

When it comes to reliable distributed audio, nobody has been doing it longer than Sonance. Building from the legacy of the SonAmp 260, recognized as the industry's first distributed audio amplifier, Sonance Digital and DSP Amplifiers utilize cutting-edge technology to bring out the absolute best sonic performance from Sonance speakers.



PERFECTLY TAILORED AUDIO PERFORMANCE

Every space is acoustically different. DSP amplifiers complete every system by offering digital signal processing to optimize the performance of Sonance Systems and Speakers and to help correct for a room's shape, size and furnishings. This ensures audiophile clarity in every room.




OUTSTANDING AUDIO IN ANY ENVIRONMENT

Sonance DSP amplifiers feature SonARC (Sonance Advanced Room Correction) built right in, providing hundreds of EQ presets designed specifically for Sonance speakers, available through simple pull-down menus. The presets enable effortless DSP without the need for outside hardware, software and, more importantly, time. Additionally, should there be a need for further customization, SonARC provides a 10-band parametric EQ to optimize sonic performance in any space.



ADAPTABLE AND FLEXIBLE

Whether a space is a new construction, remodel, large or small, DSP amplifiers are powerful and flexible to work with various combinations of Sonance speakers and subwoofers. Sonance also offers 70V/100V DSP amplifiers that can be set for 8 Ohm or 70V/100V applications, making them perfect for commercial applications as well as residential.



DIGITAL AMPLIFIERS



- 2-100 Output Power per Channel: 100 W RMS (8 Ohms)
156 W RMS (4 Ohms), 325 W (bridged at 8 Ohms)
- ASAP3D SE Output Power per Channel: 25 W RMS (8 Ohms)
50 W RMS (4 Ohms)
- 12-50 Output Power per Channel: 50 W RMS (8 Ohms)
50 W RMS (4 Ohms), 100 W (bridged at 8 Ohms)

DSP AMPLIFIERS WITH SONARC V2



- DSP 2-750 MKII Output Power per Channel: 500 W RMS (8 Ohms)
750 W RMS (70V), 2000 W (bridged at 8 Ohms)
- DSP 8-130 MKII Output Power per Channel: 130 W RMS (8 Ohms)
145 W RMS (4 Ohms), 300 W (bridged at 8 Ohms)
- DSP 2-150 MKII Output Power per Channel: 150 W RMS (8 Ohms)
224 W RMS (4 Ohms), 473 W (bridged at 8 Ohms)
- SR 2-125 Output Power per Channel: 125 W RMS (8 Ohms)
200 W RMS (4 Ohms)

HIGH-RESOLUTION PLAYBACK

At the core of every Sonance DSP amplifier is a powerful 24 bit/96K DAC, capable of handling a full 4608 Kbps of audio data. Sonance DSP amplifiers enable listeners to enjoy the full clarity and output of whatever audio passes through, from MP3 to full High-Resolution audio. Sonance DSP amplifiers prepare any audio system for what's next.



DIGITAL INPUT MODULE & HYBRID INPUT MODULE

Sonance Input Modules are the ultimate enhancements to a Sonance DSP amplifier. These input cards enable a direct connection to a digital source ensuring the signal passes through to the 24 bit/96kHz capable DAC in the amplifier with the shortest signal path possible and at the highest performance level.



Digital Input Module

DIM MODULE

Dimensions (WxHxD): 3" x 1 1/2" x 3 13/32"
Depth with RCAs: 3 11/16"



Hybrid Input Module

HIM MODULE

Dimensions (WxHxD): 3" x 1 1/2" x 3 13/32"
Depth with RCAs: 3 11/16"

SONANCE

SURROUND

SOUND

SURROUND SOUND APPLICATIONS



CASUAL ENTERTAINMENT

With the understanding that not every space is intended to be used as a dedicated theater, Sonance offers an assortment of products to build a stunning surround experience in rooms with unique layouts and space limitations. Sonance surround sound products allow for a superbly immersive experience even in casual viewing and gathering areas.

ULTIMATE EXPERIENCE

For spaces that demand the ultimate surround sound immersion, Sonance does not disappoint with a selection of dedicated LCRs and high-performance subwoofers; fidelity, clarity, and output culminate in breathtaking saturation of all the audio content has to offer.



REFERENCE SURROUND SOUND

Sonance understands the importance of proper fidelity and output for an astounding surround sound experience. Sonance Reference products are built to work in harmony to captivate the audience. Whether installed in a dedicated theater or a multi-media family room, Reference speakers and subwoofers bring the content close to life for a truly immersive experience.



REFERENCE

REFERENCE

Sonance takes entertainment to a whole new level with a range of purpose-built products that are specifically designed to bring out the best in television, movies, gaming and concerts. From living rooms to dedicated home theater spaces, the complete range of Sonance Surround Sound products deliver an intense and impactful experience to home entertainment.

DESIGNED TO DISAPPEAR

Created for AV Designers building systems that require the best surround sound available with a look that fits the space aesthetically, Sonance Reference provides truly incredible sound. Engineered for an amazing cinema experience in any room, Sonance Reference has options for in-wall, in-ceiling and cabinet speakers, and in-wall subwoofers.

MIX AND MATCH

No two spaces are the same, which is why Reference Series speakers are designed to be mixed and matched to suit any room layout. The consistent drivers and crossover design allows for in-wall, in-ceiling or cabinet speakers to be combined without compromising the sonic performance of the system.

IN-WALL



R2

R2SUR

IN-WALL SPEAKERS: R2 | R2SUR
Dimensions (WxHxD): 8 7/8" x 34 7/8" x 3 7/8"



R1

R1SUR

IN-WALL SPEAKERS: R1 | R1SUR
Dimensions (WxHxD): 8 7/8" x 21 3/4" x 3 7/8"

IN-CEILING



RIC

R1SURC

IN-CEILING SPEAKERS: RIC | R1SURC
Dimensions (WxHxD): 13 25/32" x 13 25/32" x 7 9/16"

REFERENCE LCR CABINET



RICAB

LCR CABINET SPEAKER: RICAB
Dimensions (WxHxD): 7 1/2" x 22" x 9 1/16"

REFERENCE IN-WALL SUBWOOFERS

Reference In-Wall subwoofers execute the massive bass response of a large cabinet subwoofer without sacrificing floor space. The micro-trim grille provides a clean and discreet finish that can be painted to match the surrounding surface. Sonance Reference in-wall subwoofers utilize large neodymium magnets, dual inverted spiders, and a rigid laminated carbon fiber cone to achieve deep, impactful bass from a shallow design that can be installed into a standard 2x4 wall cavity.



PHOTO COURTESY OF CYBER GROUP

T

REFERENCE IN-WALL SYSTEMS



R10SUB

10" SUBWOOFER: R10SUB

Dimensions (WxHxD): 10 7/16" x 10 7/16" x 3 5/32"



R12SUB

12" SUBWOOFER: R12SUB

Dimensions (WxHxD): 12 3/8" x 12 3/8" x 3 5/32"



R10SUB ENC

10" ENCLOSURE: R10SUB ENC

Dimensions (WxHxD): 14 1/4" x 47 1/4" x 3 7/16"



R12SUB ENC

12" ENCLOSURE: R12SUB ENC

Dimensions (WxHxD): 14 1/4" x 70 7/8" x 3 7/16"



R10SUB ENC System

R10SUB ENC 10" SYSTEM
(Includes 2 subwoofers, 2 enclosures, 1 DSP 2-150)
Dimensions (WxHxD): 14 1/4" x 47 1/4" x 3 7/16"




R12SUB ENC System

R12SUB ENC 12" SYSTEM
(Includes 2 subwoofers, 2 enclosures, 1 DSP 2-750)
Dimensions (WxHxD): 14 1/4" x 70 7/8" x 3 7/16"

CABINET SUBWOOFERS

Sonance Cabinet Subwoofers are each designed with an integrated amplifier and sealed amp plate, allowing for low frequency punch for even the biggest room, while the rear or bottom mounted controls provide quick access to adjust the subwoofer as needed. Each subwoofer also includes built-in wireless technology and SonARC app-based room correction, optimizing placement of the subwoofer anywhere in the room.



IMPACT SUBWOOFERS

Sonance Impact Subwoofers are constructed to deliver powerful, accurate, low-distortion bass in any room. Featuring a glass fiber woofer cone, a sealed amp plate, and a front facing ported design; Impact Subwoofers are the perfect low end support for watching TV or movies, playing video games, or listening to music.

ELEGANT AESTHETIC

Impact Subwoofers feature a high gloss piano-black finish and black cloth speaker grille to deliver an elegant and minimalistic aesthetic. The cabinet dimensions have been kept to a minimum to reduce the visual impact in the room.

SONARC™ for Subwoofers

SONARC FOR SUBWOOFERS

The SONARC app allows you to instantly configure the Impact Subwoofer for great playback with key adjustment at your fingertips. Let Sonance adjust the Impact Subwoofer to the room with SonARC customization within the app.



IMPACT CABINET SUBWOOFERS

Featuring SonARC V2



i8



i10



i12

i8 CABINET SUBWOOFER
Dimensions (WxHxD): 12" x 14" x 12"

i10 CABINET SUBWOOFER
Dimensions (WxHxD): 14" x 16" x 14"

i12 CABINET SUBWOOFER
Dimensions (WxHxD): 16" x 18" x 16"

WIRELESS TRANSMITTER



WIRELESS TRANSMITTER
Dimensions (WxHxD): 1 3/16" x 3 1/8" x 2 1/2"

D8 SUBWOOFER

The Sonance D8 Subwoofer delivers remarkably powerful bass from an ultra-compact cabinet featuring two powerful opposing 8" square drivers. Paired with the optional wireless transmitter and SonARC DSP technology, the D8 placement becomes completely flexible allowing it to live virtually anywhere in the room.



D8 SUBWOOFER



D8 SUBWOOFER
Dimensions (WxHxD): 7.5" x 7.5" x 9"
Available in black and white
Featuring SonARC V2

TINY DESIGN, HUGE SOUND

The Sonance D8 subwoofer features two powerful vibration-canceling 8" square drivers, wireless connectivity and our SonARC for subwoofers DSP technology, all within a sleek ultra-compact cabinet.



WIRELESS TRANSMITTER



WIRELESS TRANSMITTER
Dimensions (WxHxD): 1 3/16" x 3 1/8" x 2 1/2"

SOUNDBAR



SOUNDBARS

Sonance Soundbars offer a wide range of solutions that fit any flat panel wall display from 50" up to 85". Our fixed width soundbars provide a clean aesthetic while our adjustable width soundbars provide onsite adjustability, giving you the ability to perfectly match the width of any display. The minimalistic black perforated metal grille allows for a seamless aesthetic that complements modern display designs, while the true 3-way speaker configuration and state-of-the-art driver materials deliver best-in-class sonic performance, with clarity, wide sound stage, and natural playback.

ADJUST TO MATCH YOUR DISPLAY

Sonance Adjustable Soundbars feature sliding end grilles that are adjusted without the use of tools. Simply loosen the thumbscrew on the back and slide the grille out to perfectly match the width of the display. It couldn't be easier.

SEAMLESS GRILLE SOLUTIONS

Sonance Soundbar combines proven Sonance Adjustable Soundbar performance with a sleek single-piece grille to perfectly match most large video displays with a seamless finish. With a soundbar to fit displays 55", 65", 75" and 85", Sonance Soundbar ensures a custom look and finish every time with class-leading audio performance.

TRUE 3-WAY DESIGN

Each of the three speaker chambers features a coaxial 1" powder-coated aluminum tweeter, a 4" laminated Kevlar and Nomex midrange, paired with dual 4 1/2" laminated Kevlar and Nomex woofers. This expertly engineered design delivers sound which is both natural and precise.

SOUNDBAR



SB46-55

SB46-55 SOUNDBAR
Dimensions (WxHxD): 48 5/16" x 5 9/32" x 2 9/16"



SB46-65

SB46-65 SOUNDBAR
Dimensions (WxHxD): 56 29/32" x 5 9/32" x 2 9/16"



SB46-75

SB46-75 SOUNDBAR
Dimensions (WxHxD): 66" x 5 9/32" x 2 9/16"



SB46-85

SB46-85 SOUNDBAR
Dimensions (WxHxD): 75 1/4" x 5 9/32" x 2 9/16"

ADJUSTABLE-WIDTH SOUNDBAR



SB46M Soundbar

SB46M SOUNDBAR
Dimensions (Adj. WxHxD): 43 7/8" - 59 5/8" x 5 9/32" x 2 9/16"



SB46L Soundbar

SB46L SOUNDBAR
Dimensions (Adj. WxHxD): 61 1/2" - 77 5/16" x 5 9/32" x 2 9/16"

SUGGESTED SPEAKER PAIRING



VP46R SST/SUR

4" SPEAKER: VP46R SST/SUR
Dimensions (DiaxD): 6 7/8" x 3 3/4"

SUGGESTED SUBWOOFER PAIRING




i10

10" SUBWOOFER: i10
Dimensions (WxHxD): 14" x 16" x 14"

SONANCE
OUTDOOR
AUDIO

LANDSCAPES, MEET SOUNDSCAPES

Sonance moves its award-winning audio philosophy outdoors, with a range of all-weather products that are designed to deliver best-in-class performance and best-looking aesthetics in every exterior environment. From courtyards and patios to entire residential estates and resort gardens, Sonance is the undisputed leader in high fidelity sound for the great outdoors.



TRADITIONAL SPEAKER PLACEMENT



In typical outdoor audio installations a pair of speakers are placed in one location and usually on the same plane. The result can produce various undesirable effects.

UNEVEN VOLUME

Speaker placement in one location creates very loud areas near those speakers and little to no sound further away. This can impact furniture arrangements and natural gathering areas.

UNBALANCED COVERAGE

It is easy to move in and out of the left and right channels and miss discrete information in the audio.



UNWANTED NOISE

Audio can spill over to neighboring properties creating unwanted disturbances.

THE SYSTEM APPROACH


Designing a system composed of satellite speakers, subwoofers, amplifiers and DSP technology helps envelop a space fully in clear and balanced audio.

EVEN VOLUME

This approach is similar to a well layered lighting design that has no hot spots or dark spots, but rather provides smooth even coverage throughout the area.

IMMERSIVE SOUND

With satellite speakers and buried subwoofers strategically arranged around the perimeter of the property, audio is able to cover the area from all angles and comfortably immerse the audience.



NO DISTURBANCES

By positioning the system's speakers and subwoofers toward the listening area, no sound is projected out to the neighbors.

SONANCE LANDSCAPE SERIES



SATELLITE SPEAKERS

Sonance Landscape Series satellite speakers are selectable for 70V/100V or 8 Ohm configuration and are designed borrowing performance features proven successful by other Sonance products. With new larger Klippel distortion treated drivers as seen in Extreme and the same Sonance Laminated Core Transformer as Sonance Professional Series products, SLS satellite speakers provide smooth, effortless bass and clear and natural treble.



SMOOTH AND POWERFUL BASS RESPONSE

Sonance Landscape Series subwoofers are available in 12" and 15" in-ground or 12" hardscape solutions and are also 70V/100V or 8 Ohm configurable. With a laminar flow port supporting the in-ground subs and the Sonance Laminated Core Transformer featured in all three subs, Sonance Landscape Series subwoofers present the perfect punch for outdoor environments, filling the space with depth and detail.



SATELLITES



LS6T SAT

LS6T SAT SPEAKER
Dimensions (Dia): 6 1/2"



LS4T SAT

LS4T SAT SPEAKER
Dimensions (Dia): 4 1/2"

SUBWOOFERS



LS15T SUB



LS12T SUB



HS12T SUB

LS15T SUB
Overall Dimensions (WxH): 21.26" x 33.58"

LS12T SUB
Overall Dimensions (WxH): 16.97" x 29.13"

HS12T SUB
Dimensions (WxHxD): 16.14" x 16.14" x 16.14"



SONANCE LANDSCAPE SERIES IS FULLY SCALABLE AND EXPANDABLE

Sonance Landscape Series is the award-winning, industry reference in outdoor audio. SLS speakers and subwoofers are a fully scalable and bespoke premium outdoor audio system that delivers perfectly even coverage and unbelievable sound quality throughout any space, small or large. Capable of impeccable fidelity at any volume and powerful output while hidden among landscape elements, SLS continues the Sonance standard of performance and design working in harmony to deliver an exceptional experience in any outdoor environment.

WEATHER THE ELEMENTS

The SLS speakers and subwoofers are designed to operate under the most extreme weather conditions, from -20 to 190 F (-29 to 88 C). Triple sealed enclosures, waterproof connectors and marine grade components ensure SLS will stand up to the harshest elements including surf, sun, sand and snow.



RAIN



SNOW



SUN



WIND



SEA



SAND



FLEXIBLE INSTALLATION

SLS speakers feature versatile mounting hardware options, allowing them to be positioned strategically to create the optimal sound experience.



ACCESSORIES



19" Ground Stake



9" Ground Stake



Surface Mount



Tree Mount

SONANCE GARDENS SERIES




PERFORMANCE AND SIMPLICITY


Sonance Garden Series strikes the perfect blend between performance and affordability, establishing itself ranked between the award-winning excellence of Sonance Landscape Series and the system simplicity of SONARRAY.




SONANCE GARDEN SERIES CONFIGURATIONS



SONANCE GARDEN SERIES 8:1 CONFIGURATION



SONANCE GARDEN SERIES 12:2 CONFIGURATION



SONANCE GARDEN SERIES 16:2 CONFIGURATION

SONANCE GARDEN SERIES

FEATURES AND FLEXIBILITY

Featuring a 3.5" anodized aluminum woofer and a 3/4" polyurethane dome tweeter, the Sonance Garden Series 2-way satellite design brings surprising detail to outdoor spaces. The replaceable grille makes servicing the system a breeze and the adjustable speaker knuckle allows the SGS SAT to be positioned precisely for great coverage. The system installation is flexible with multiple available installation options, from the included 1/2" NPS ground stakes to the optional surface mount or tree mount accessories.

The 10" dual voice coil, in-ground subwoofer provides amazing bass to complete the outdoor music experience. Taking advantage of our latest laminar flow port design, the SGS SUB delivers smooth bass that's ready for the elements. The high-density polyethylene enclosure is fully sealed and non-corroding, ensuring years of enjoyment.



WEATHER THE ELEMENTS

The Sonance Garden Series speakers and subwoofers are designed to operate under the most extreme weather conditions, from -20 to 190 F (-29 to 88 C). Triple sealed enclosures, waterproof connectors and marine grade components ensure SGS will stand up to the harshest elements including surf, sun, sand and snow.



RAIN



SNOW



SUN



WIND



SEA



SAND

SGS 8.1 SYSTEM

Sonance Garden Series is flexible for system design from a single 4 conductor wire. Our DSP Amplifiers will support speaker layouts of 8.1/8.2, 12.1/12.2 up to 16.1/16.2 configurations, helping to set the mood for engaging outdoor music in spaces up to 3,500 sq. ft. Sonance Garden Series can be expanded for up to 16 speakers and 2 subwoofers on a single amplifier.



SGS 8.1 SYSTEM WITH SR 2-125 DSP AMPLIFIER

SGS ADD-ON PRODUCTS

2-125 AMPLIFIER



SR 2-125 AMPLIFIER
Dimensions with feet (WxHxD): 8 5/8" x 2 1/8" x 16 13/16"

SGS SAT 4-PACK



SGS SAT 4-PACK
Dimensions with Stake (LxDia.): 16 1/2" x 4 1/2"

SGS SUB



SGS SUB
Overall Dimensions (LxDia.): 5" x 15"



PERFECT QUALITY, PERFECT COVERAGE

Great in backyards and patios, the SONARRAY system of satellite speakers, subwoofer, and SR 2-125 amplifier creates crystal clear audio emanating from everywhere, and raising the bar for affordable outdoor audio.

SATELLITE SPEAKERS

SONARRAY SR1 includes eight satellite speakers with full-range drivers to deliver crystal clear sound. By positioning the speakers around the perimeter of the entertaining area, facing inwards, the space is enveloped in beautiful sound at the perfect volume, without loud zones or dead spots.

SUBWOOFER

SONARRAY features an 8" dual voice coil, buried subwoofer, which delivers incredibly smooth bass. The SR1's subwoofer radiates sound throughout the same area as the eight satellite speakers, pairing even bass with breathtaking fidelity and clarity.

BRING IT ALL TOGETHER

The SONARRAY system is completed with a Sonance SR 2-125 amplifier. With presets designed specifically for SONARRAY and tested for any environment, the SR 2-125 perfectly tunes and balances the SONARRAY system. A single SR 2-125 amplifier will support a standard system of 8 speakers and 1 subwoofer or can power an expanded system of up to 16 speakers and two subwoofers for greater area coverage.

SONARRAY SR1 SYSTEM



SONARRAY SR1 System with SR 2-125 Amplifier

SONARRAY SR1 System without Amplifier

SONARRAY ADD-ON PRODUCTS

SR 2-125 AMPLIFIER



SR 2-125

Dimensions with feet (WxHxD): 8 5/8" x 2 1/8" x 16 13/16"

SONARRAY SR1 SAT 4-PACK



SR1 SAT 4-PACK

Overall Dimensions (LxDia.): 6 1/2" x 4 1/8"

SONARRAY SR1 SUB



SR1SUB


Overall Dimensions (LxDia.): 22" x 15"




SONARRAY

SONARRAY SR1 is a satellite and subwoofer speaker system that is the pinnacle for affordable outdoor audio. The SR1 system delivers amazing sound quality and perfectly even volume levels throughout outdoor spaces. SONARRAY elevates the atmosphere and ambiance for backyard entertaining, covering areas of 2,500 to 5,000 square feet (185 to 232 square meters) of listening space. Beginning with 8 satellite speakers, one in-ground subwoofer and a single amplifier, the system can expand to an additional 8 speakers and a second subwoofer for a total of 16 speakers and 2 subwoofers on a single amplifier.


SONARRAY CONFIGURATIONS



SONARRAY 8:1 CONFIGURATION



SONARRAY 12:2 CONFIGURATION



SONARRAY 16:2 CONFIGURATION



VP EXTREME

Visual Performance Extreme carries the design success of Sonance Visual Performance speakers delivered in a highly enduring construction for extreme elements making them perfect for marine environments, patios and spas.

EXTREME POST CAPTURE

With extreme circumstances in mind, Sonance developed Extreme Post Capture grille retention technology (XPC) to securely grip each Extreme grille to its speaker. This protects the grilles from harsh encounters with wind and high pressure washing. Extreme square grille adapters and grilles seamlessly transform any Extreme round speaker into a square finish without the need for additional cutting. Also featuring Sonance XPC technology, square grilles will remain intact when presented with intense wind or water.



SQUARE ADAPTERS



VPXT8SQ
Dimensions (WxH): 11" x 11"

VPXT6SQ
Dimensions (WxH): 9 7/8" x 9 7/8"

IN-WALL SPEAKER



VPXT6

VPXT6 SPEAKER
Dimensions (WxHxD): 8 3/8" x 12 1/4" x 2 1/2"

IN-CEILING SPEAKERS



VPXT8R

SPEAKER: VPXT8R
Dimensions (DiaxD): 11 5/8" x 3 3/4"



VPXT6R




VPXT6R SST

SPEAKERS: VPXT6R | VPXT6R SST
Dimensions (DiaxD): 9 3/4" x 3 1/2"

PERFORMANCE

Sonance has a range of high-performance outdoor speakers for any traditional installation. Rock speakers and subwoofers in natural colors and textures are designed to hide in garden beds. Mariner speakers are perfect for courtyards, patios, and yachts.



MARINERS & ROCKS



MARINERS

Sonance Mariner speakers feature an innovative front-mounted terminal connection that not only makes wiring easier, it safeguards the speaker terminals against moisture and the elements. Mariner speakers feature an exclusive Fastmount® bracket system that enables simple push and lock to fasten each speaker into place—no threaded knobs or extra hardware necessary. Once mounted, the speaker can be easily pivoted to direct the sound where you want it, and they will stay where you position them and not droop or slip over time. Finished with a perfect fit trimless grille engineered to remain securely in place, Mariner speakers will contribute a sleek and clean look to any outdoor space.



ROCKS

Sonance rock speakers utilize a durable weather-resistant construction that is built to withstand the harshest outdoor environments. Featuring waterproof drivers, the Sonance RK63 and RK83 deliver clean articulate sound while standing up to the elements. For those wanting even more impressive sound outdoors, the optional RK10W subwoofer features the same durable construction with a 10" polypropylene cone woofer for added bass response.

MARINERS

Available in black and white



Mariner 54



Mariner 54 SST



Mariner 56



Mariner 64



Mariner 64 SST



Mariner 66



Mariner 86

SMALL SPEAKERS: MARINER 54 | MARINER 54 SST | MARINER 56
Dimensions (WxHxD): 6 3/8" x 10" x 5 3/4"

MEDIUM SPEAKERS: MARINER 64 | MARINER 64 SST | MARINER 66
Dimensions (WxHxD): 7 1/2" x 12 1/4" x 6 3/4"

LARGE SPEAKERS: MARINER 86
Dimensions (WxHxD): 9" x 14" x 8 1/2"

ROCKS

Available in brown and granite



RK63



RK83

SMALL SPEAKER: RK63
Dimensions (WxHxD): 13 3/4" x 11" x 11"

LARGE SPEAKER: RK83
Dimensions (WxHxD): 17 1/4" x 12 1/2" x 14"

ROCK SUBWOOFER

Available in brown and granite



RK10W Woofer

WOOFER: RK10W
Dimensions (WxHxD): 19 3/8" x 16 7/8" x 14 3/8"

SONANCE
COMMERCIAL
SOLUTIONS



COMMERCIAL SOLUTIONS

Sonance has been regarded as an industry leader for decades. When the industry demanded superior performance and premium aesthetics from commercial products, Sonance heard the call to action to revolutionize the market. With solutions spanning many applications and the introduction of Sonance Professional Series dedicated to the commercial scene, Sonance is able to empower the commercial integrator with the tools to cover any space.



INVISIBLE SERIES

Sonance offers a completely invisible solution intended for commercial applications requiring ultimate elegance. The IS4 C is specified exclusively in many retail spaces for luxury boutique brands throughout the world. Its use of the Sonance Laminated Core Transformer for 70V/100V flexibility makes it a powerful and desirable option for the demands of commercial spaces.



IPOINT

IPOINT by Sonance offers elegant solutions for the home and business. Transforming the way dedicated use tablets are incorporated into the workplace, IPOINT continues to redefine where and how businesses use tablets in applications like hotel rooms, corporate offices, yachts and fleet vehicles. IPOINT products solve real business problems and enhance the usability of tablets.



SONANCE LANDSCAPE SERIES

With the Sonance Laminated Core Transformer for 70V/100V or 8 Ohm configurations, SLS can seamlessly transition music for commercial spaces from indoors to outdoors. SLS is widely used in amusement parks, wineries, hotels, resort gardens, and golf courses around the globe.



SONANCE 70V DSP AMPLIFIERS

Sonance 70V DSP Amplifiers are a powerful way to complete any commercial audio system. With Sonance DSP curves to satisfy adjustments and tuning for speaker placement and atmosphere, Sonance amplifiers perfectly optimize any commercial system.

PROFESSIONAL SERIES

PERFORMANCE

Sonance Professional Series products are changing the commercial audio scene. Each speaker is equipped with class-leading sensitivity & sonic performance and an exceptional off-axis response. The product family also features consistent voicing across the range and a full-fidelity transformer for uncompromising tonality. In response to industry demand, each product also comes ready to easily install with uncomplicated hardware included in the box.

IN-CEILING

- UL 1480 & UL 2043 Certified
- 2-way pivoting tweeter
- Finger-adjustable tap switch
- Integrated backcan
- One-piece magnetic grille (paintable)
- Optional black grille
- Optional square adapter (black or white grille)

SURFACE MOUNT

- UL 1480, IPX4, MIL SPEC810, & UV IEC 529 Certified
- Powder coated aluminum grille
- Black or white (paintable) options
- Front-mounted tap switch
- Front-mounted connector with cover
- FastMount® bracket system

PENDANT

- UL 1480 & UL 2239 Certified
- 2-way pivoting tweeter
- One-piece magnetic grille
- Black or white (paintable) options
- Front-mounted tap switch
- Hanger and connector cover
- Ships with gripple mounting kit

SUBWOOFER

- 70V/100V with 8 Ohm Bypass
- Moveable Port for Orientation
- Optional Low-Profile Bracket
- Fly-Points for Suspension Mounting
- Under-Seat Mounting
- Cable Strain Relief

IN-CEILING

Available in black or white grille



PS-C43RT
Dimensions (DiaxD): 6 3/10" x 7"

PS-C63RT
Dimensions (DiaxD): 9 1/8" x 8 7/8"

PS-C83RT | PS-C83RWT
Dimensions (DiaxD): 11 1/16" x 9 7/8"

PS-C43RTLTP
Dimensions (DiaxD): 9 4/32" x 3 1/2"

PS-C63RTLTP
Dimensions (DiaxD): 11 1/16" x 4 1/3"

PENDANT

Available in black and white



PS-P43T
Dimensions (DiaxH): 6 1/3" x 11"

PS-P63T
Dimensions (DiaxH): 9 4/32" x 15 2/3"

PS-P83T | PS-P83WT
Dimensions (DiaxH): 11 1/16" x 19 3/4"

SURFACE MOUNT

Available in black and white



PS-S43T
Dimensions (WxHxD): 5 1/2" x 9 1/4" x 4 7/8"

PS-S53T
Dimensions (WxHxD): 6 1/3" x 10 1/16" x 5 2/3"

PS-S63T
Dimensions (WxHxD): 7 1/2" x 12 1/8" x 6 7/8"

PS-S83T | PS-S83WT
Dimensions (WxHxD): 9" x 14" x 8 1/2"

SUBWOOFER



PS-S210SUBT SUBWOOFER
Dimensions (LxWxH): 33" x 14" x 9"

I PORT

BY SONANCE

At IPORT, we believe in enhancing the utility of a dedicated-use tablet at home and at work by combining design, technology, and function so that you can experience iPad® in a whole new way.

HOLD. CHARGE. PROTECT. IPAD®



RESIDENTIAL



HOSPITALITY



CORPORATE



FOOD & BEVERAGE



FLEET



HOLD. CHARGE. PROTECT.

iPad has become the go-to device to control the app-driven connected home. We believe that by creating ways to hold, charge and protect it, iPad transforms into an epic dedicated controller. Whether on the wall in fixed locations or free-floating throughout the home, iPort offers a range charging and mounting systems that add much-needed accessibility to iPad in home control applications.

It gets even better with optional hard buttons embedded in our enclosures that provide instant shortcuts to scenes and key functions for nearly any control system. Say hello to the iPort family of products: enhancing the user experience of the app-driven connected home.



IPOINT LUXE

The premium wireless charging and mounting system for iPad designed for charging on table-top or on-wall. Available in silver, black and white.



Case



BaseStation



WallStation



Wall Adapter Kit

LUXE CASES

iPad mini 4, 5th gen
iPad, 5th & 6th gen
iPad Pro 10.5", iPad Air 10.5", 3rd gen

LUXE CHARGING STATIONS

WallStation
BaseStation

LUXE ACCESSORIES

Wall Adapter Kit



IPOINT LAUNCH

A wireless charging system for iPad designed to hold, charge and protect iPad on a table, wall or in a vehicle. Available in silver, black and white.



Case



BaseStation



WallStation

LAUNCH SLEEVES

iPad mini 4, 5th gen
iPad 5th & 6th gen

LAUNCH CHARGING STATIONS

Launch WallStation
Launch BaseStation



IPOINT SURFACE MOUNT

The most elegant way to mount iPad on a wall or solid surface. Available in black and white.



Surface Mount



Surface Mount with Buttons



SURFACE MOUNT SYSTEM

iPad mini 4, 5th gen
iPad 5th & 6th gen
iPad Air 10.5", 3rd gen
iPad Pro 12.9", 1st & 2nd gen

SURFACE MOUNT 6 BUTTONS SYSTEM

iPad mini 4, 5th gen
iPad 5th & 6th gen
iPad Pro 12.9", 1st & 2nd gen

SURFACE MOUNT 10 BUTTONS SYSTEM

iPad mini 4, 5th gen
iPad 5th & 6th gen
iPad Pro 12.9", 1st & 2nd gen



xPRESS

The Audio Keypad for Sonos®, allows you to control your Sonos® device anywhere, anytime. Play music, adjust volume, skip tracks, and assign favorites with the press of a button.



xPRESS
Audio Keypad

xPRESS AUDIO KEYPAD xPRESS

SONANCE TRUFIG

Sonance has long been the pioneer for disguising technology. Blending into architecture and design doesn't stop with speakers. With TRUFIG mounting technology, Sonance can disguise most technical elements within a room, from keypads, touch panels, and outlets, to HVAC vents and linear diffusers. Sonance continues to evolve the TRUFIG finish beyond sound to blend technology into any design.

DESIGNED TO DISAPPEAR.



TRUFIG CUSTOMIZATION

TRUFIG is a standardized custom installation method that has revolutionized the industry, saving integrators time and money by making the process predictable, reliable, and repeatable.



RESERVE

TRUFIG mounting platforms reserve the install location, allowing for precision placement and a clear distinction for other trades during construction.



ALIGN

The alignment process provides accurate leveling with the surrounding surface; the kind of details that Sonance believes makes all the difference.



FINISH

Once the Sonance TRUFIG components are in place, the surface can be finished around it, revealing a stunning elegance that allows the room design to prevail.



CATEGORIES

TRUFIG can be applied across multiple disciplines and integrated into many surfaces.

- Wiring Devices & Lighting Control Solutions
- Touch Panels & iPad Solutions
- HVAC Solutions
- Linear Diffuser Solutions
- Blank Fascia Solution
- Sonance Architectural Series Speakers
- Sonance Invisible Speakers




Wiring Devices & Lighting Controls




Custom Projects



Speakers



Touch Panels



HVAC



Linear Diffusers

FINISHES

The complete TRUFIG system installs flush with the wall, ensuring the integrity of the design space is not compromised. TRUFIG fascias are delivered in paintable white to allow faux painted finish matching on site by a qualified tradesperson. Explore the versatility that allows you to customize each device to match any surface.



SONANCE DESIGN SERVICES

Ready to experience Sonance but not sure where to begin? Let us customize a layout for you. Sonance offers design services to support our customers. Our role is to help you maximize the value and performance of your Sonance Speaker System. Service Representatives are available whenever you need them to make sure your system performs as expected.

Contact Sonance Design Services at www.designservices@danainnovations.com



OUTDOOR DESIGN

Landscape Series Design Service provides a custom layout program for Sonance Landscape Series speaker systems. This service will convert any project's landscape plan into a discreet layout for each zone showing the best possible placement for all of the satellites and subwoofers, along with the appropriate recommended amplification.



INDOOR AND COMMERCIAL DESIGN

Sonance Design Services also provides a custom layout program for all Reference, Visual Performance, Architectural Series, Invisible Series and Professional Series speaker systems. Sonance's Design Services will convert any CAD or house plan into a customized layout for each audio zone showing the expert recommendation for placement.

SONANCE PRODUCT INDEX

DISTRIBUTED AUDIO

VISUAL PERFORMANCE

SKU	MODEL	UOM	PAGE
93000	VP42	PR	21
93001	VP46	PR	21
93002	VP48	PR	21
93003	VP62	PR	21
93004	VP66	PR	21
93005	VP68	PR	21
93006	VP82	PR	21
93007	VP86	PR	21
93008	VP88	PR	21
93117	VP38R	EA	21
93009	VP42R	PR	21
93010	VP46R	PR	21
93011	VP48R	PR	21
93088	VP60R	PR	21
93012	VP62R	PR	21
93013	VP64R	PR	21
93014	VP66R	PR	21
93015	VP68R	PR	21
93089	VP80R	PR	21
93016	VP82R	PR	21
93017	VP86R	PR	21
93018	VP88R	PR	21
93120	VP3SQ Square Adapter & Grille	EA	21
93029	VP4SQ Square Adapter & Grille	PR	21
93030	VP6SQ Square Adapter & Grille	PR	21
93031	VP8SQ Square Adapter & Grille	PR	21
93019	VP66 TL	PR	21
93020	VP62R TL	PR	21
93021	VP66R TL	PR	21
93022	VP62R SST/SUR TL	EA	21
93368	VP52R UTL	PR	21
93338	VPXT6	PR	22
93339	VPXT6R	PR	22
93340	VPXT6R SST	EA	22
93341	VPXT8R	PR	22
93342	VPXT6SQ Square Adapter & Grille	PR	22
93343	VPXT8SQ Square Adapter & Grille	PR	22
93028	VP62 LCR	EA	22
93084	VP66 LCR	EA	22
93023	VP46R SST/SUR	EA	22
93024	VP62R SST/SUR	EA	22
93025	VP66R SST/SUR	EA	22
93026	VP86R SST/SUR	EA	22
93027	VP66 SST/SUR	EA	22
93044	BPS8	EA	22
93097	VPBPC6R	EA	22
93324	BPS6 TL	EA	22
93334	VPBPC3R TL	EA	22
93043	BPS6	EA	22
93118	VPBPC3R	EA	22
93353	VP5UB	EA	22
92741	VP85R W	EA	22
92740	VP85 W	EA	22

INVISIBLE SERIES

92965	IS2	PR	26
92966	IS4	PR	26
92967	ISW	EA	26
92968	IS4 SST	EA	26
40127	IS4 C	EA	26
92969	IS2 Small Enclosure	EA	26
92970	IS4, IS4 SST, ISW Large Enclosure	EA	26
92722	IS2 Small Space Saver	EA	26
92723	IS4, IS4 SST, ISW Large Space Saver	EA	26

DISTRIBUTED AUDIO CONTINUED

ARCHITECTURAL SERIES

SKU	MODEL	UOM	PAGE
93041	AS38RS	EA	24
93042	AS68RS	EA	24
93044	BPS8	EA	24
93074	ASBPC6RS	EA	24
93049	1/2" Medium Gypsum Mounting Platform Round	EA	24
93050	1/2" Medium Gypsum Mounting Platform Square	EA	24
93051	5/8" Medium Gypsum Mounting Platform Round	EA	24
93052	5/8" Medium Gypsum Mounting Platform Square	EA	24
93055	5/8" Solid Surface Medium Mounting Platform Round & Square	EA	24
93324	BPS6 TL	EA	24
93335	ASBPC3RS TL Trim Ring & Grilles	EA	24
93362	1/2" Discreet Gypsum Mounting Platform Round TL	EA	24
93363	1/2" Discreet Gypsum Mounting Platform Square TL	EA	24
93364	5/8" Discreet Gypsum Mounting Platform Round TL	EA	24
93365	5/8" Discreet Gypsum Mounting Platform Square TL	EA	24
93043	BPS6	EA	24
93073	ASBPC3RS	EA	24
93045	1/2" Discreet Gypsum Mounting Platform Round	EA	24
93046	1/2" Discreet Gypsum Mounting Platform Square	EA	24
93047	5/8" Discreet Gypsum Mounting Platform Round	EA	24
93048	5/8" Discreet Gypsum Mounting Platform Square	EA	24
93053	5/8" Solid Surface Discreet Mounting Platform Round & Square	EA	24
93367	Thin-Line Bandpass Slot Connector	EA	24

C SERIES

93124	C6R	PR	21
93125	C6R SST	EA	21

AMPLIFIERS

93091	SONAMP 2-100	EA	28
92446	SONAMP ASAP3D SE	EA	28
93092	SONAMP 12-50	EA	28
93378	DSP 2-150 MKII	EA	28
93379	DSP 2-750 MKII	EA	28
93331	DSP 8-130 MKII	EA	28
93135	SR 2-125	EA	28
93099	Digital Input Module	EA	28

VISUAL PERFORMANCE ACCESSORIES

92246	Large Rectangle Flex Bracket	5PR	-
92336	Medium Rectangle Flex Bracket	5PR	-
92470	Small Rectangle Flex Bracket	5PR	-
92247	Large Round Flex Bracket	5PR	-
92337	Medium Round Flex Bracket	5PR	-
92471	Small Round Flex Bracket	5PR	-
92344	Medium Square Flex Bracket	5PR	-
92475	Medium LCR Flex Bracket	EA	-
92066	Medium Rectangle Masonry Bracket	PR	-
92067	Small Rectangle Masonry Bracket	PR	-
91708	Large Rectangle Acoustic Enclosure	EA	-
91687	Medium Rectangle Acoustic Enclosure	EA	-
91900	Large Round Acoustic Enclosure	EA	-
91688	Medium Round Acoustic Enclosure	EA	-
92242	Large Rectangle Retrofit Enclosure	PR	-
92342	Medium Rectangle Retrofit Enclosure	PR	-
92442	Small Rectangle Retrofit Enclosure	PR	-
92243	Large Round and SQ Retrofit Enclosure	PR	-
92343	Medium Round and SQ Retrofit Enclosure	PR	-
92443	Small Round and SQ Retrofit Enclosure	PR	-
92836	Medium LCR Retrofit Enclosure	EA	-

SONANCE PRODUCT INDEX

SURROUND SOUND

REFERENCE

SKU	MODEL	UOM	PAGE
93344	R1	EA	30
93345	R1SUR	EA	30
93346	R2	EA	30
93347	R2SUR	EA	30
93348	RICAB	EA	30
93351	RIC	EA	30
93352	R1CSUR	EA	30
93354	R10SUB	EA	32
93355	R12SUB	EA	32
92874	R10SUB ENC	EA	32
92875	R12SUB ENC	EA	32
93376	R10SUB ENC System	EA	32
93377	R12SUB ENC System	EA	32

VISUAL PERFORMANCE

93023	VP46R SST/SUR	EA	22
93024	VP62R SST/SUR	EA	22
93025	VP66R SST/SUR	EA	22
93026	VP86R SST/SUR	EA	22
93027	VP66 SST/SUR	EA	22

SOUNDBAR

93425	SB46-55	EA	38
93426	SB46-65	EA	38
93427	SB46-75	EA	38
93428	SB46-85	EA	38
93086	SB46M	EA	38
93087	SB46L	EA	38

CABINET SUBWOOFERS

93356	i8	EA	34
93357	i10	EA	34
93358	i12	EA	34
93359	D8 BLK	EA	36
93374	D8 WHT	EA	36
93360	Wireless Transmitter	EA	34

COMMERCIAL

PROFESSIONAL SERIES

40130	PS-C43RT	PR	58
40131	PS-C63RT	PR	58
40132	PS-C83RT	PR	58
40133	PS-C83RWT	EA	58
40181	PS-C43RTLTP	PR	58
40182	PS-C63RTLTP	PR	58
40147	PS-S43T BLK	PR	58
40142	PS-S43T WHT	PR	58
40148	PS-S53T BLK	PR	58
40143	PS-S53T WHT	PR	58
40149	PS-S63T BLK	PR	58
40144	PS-S63T WHT	PR	58
40150	PS-S83T BLK	PR	58
40145	PS-S83T WHT	PR	58
40151	PS-S83WT BLK	EA	58
40146	PS-S83WT WHT	EA	58
40138	PS-P43T BLK	PR	58
40134	PS-P43T WHT	PR	58
40139	PS-P63T BLK	PR	58
40135	PS-P63T WHT	PR	58
40140	PS-P83T BLK	PR	58
40136	PS-P83T WHT	PR	58
40141	PS-P83WT BLK	EA	58
40137	PS-P83WT WHT	EA	58
40127	IS4 C	EA	58
40192	PS-SIOSUBT	EA	58

OUTDOOR

SONANCE LANDSCAPE SERIES

SKU	MODEL	UOM	PAGE
93369	LS4T SAT	EA	42
93370	LS6T SAT	EA	42
93371	LS12T SUB	EA	42
93372	LS15T SUB	EA	42
93373	HS12T SUB	EA	42

SONANCE LANDSCAPE SERIES 70V SYSTEMS

93382	LS4T SAT/LS12T 8.1 SYSTEM w/ DSP	EA	-
93409	LS4T SAT/LS12T 8.2 SYSTEM w/ DSP	EA	-
93410	LS6T SAT/LS12T 6.1 SYSTEM w/ DSP	EA	-
93411	LS6T SAT/LS12T 8.2 SYSTEM w/ DSP	EA	-
93412	LS6T SAT/LS15T 8.1 SYSTEM w/ DSP	EA	-

SONANCE LANDSCAPE SERIES 8 OHM SYSTEMS

93383	LS6T SAT/LS12T 4.1 SYSTEM w/ 2 DSP 2-750 MKII	EA	-
93413	LS6T SAT/LS12T 4.1 SYSTEM w/ 2 DSP 2-150 MKII	EA	-

SONANCE LANDSCAPE SERIES 70V SYSTEMS

92925	Ground Post 19"	EA	-
92924	Ground Stake 9"	EA	-
92927	Tree Mount	EA	-
92926	Surface Mount	EA	-

SONANCE GARDEN SERIES

93433	SGS 8.1 System + Amplifier	EA	48
93432	SGS 8.1 System	EA	48
93135	SR 2-125 Amplifier	EA	48
93435	SGS SUB	EA	48
93436	SGS SAT 4-Pack	EA	48

SONARRAY

93134	Sonarray SR1 System + Amplifier	EA	50
92983	Sonarray SR1 System	EA	50
93135	SR 2-125 Amplifier	EA	50
93139	SR1 SUB	EA	50
93405	SR1 SAT 4-Pack	EA	50

VP EXTREME

93338	VPXT6	PR	54
93339	VPXT6R	PR	54
93340	VPXT6R SST	EA	54
93341	VPXT8R	PR	54
93342	VPXT6SQ Square Adapter & Grille	PR	54
93343	VPXT8SQ Square Adapter and Grille	PR	54

MARINERS

93148	Mariner 54 WHT	PR	56
93149	Mariner 54 BLK	PR	56
93150	Mariner 56 WHT	PR	56
93151	Mariner 56 BLK	PR	56
93152	Mariner 64 WHT	PR	56
93153	Mariner 64 BLK	PR	56
93154	Mariner 66 WHT	PR	56
93155	Mariner 66 BLK	PR	56
93156	Mariner 86 WHT	PR	56
93157	Mariner 86 BLK	PR	56
93158	Mariner 54 SST WHT	EA	56
93159	Mariner 54 SST BLK	EA	56
93160	Mariner 64 SST WHT	EA	56
93161	Mariner 64 SST BLK	EA	56

SONANCE OUTDOOR CONTINUED

ROCKS

92743	RK63 Granite	PR	56
92744	RK63 Brown	PR	56
92745	RK83 Granite	PR	56
92746	RK83 Brown	PR	56
92887	RK10W Woofer Granite	EA	56
92888	RK10W Woofer Brown	EA	56

IPOINT PRODUCT INDEX

IPOINT

LAUNCH

SKU	MODEL	UOM	PAGE
70158	LP Base Station BLK	EA	62
70141	LP Base Station SLV	EA	62
70170	LP Wall Station BLK	EA	62
70142	LP Wall Station WHT	EA	62
70304	AM.2 LP Sleeve BLK (iPad mini 4, 5th gen)	EA	62
70305	AM.2 LP Sleeve WHT (iPad mini 4, 5th gen)	EA	62
70300	AP.5 LP Sleeve BLK (iPad Air 5 th & 6 th gen)	EA	62
70301	AP.5 LP Sleeve WHT (iPad Air 5 th & 6 th gen)	EA	62

LUXE

SKU	MODEL	UOM	PAGE
71000	LuxePort Base Station BLK	EA	62
71002	LuxePort Base Station WHT	EA	62
71001	LuxePort Base Station SLV	EA	62
71003	LuxePort Wall Station BLK	EA	62
71005	LuxePort Wall Station WHT	EA	62
71004	LuxePort Wall Station SLV	EA	62
71009	LuxePort BLK (iPad mini 4, 5th gen)	EA	62
71011	LuxePort WHT (iPad mini 4, 5th gen)	EA	62
71010	LuxePort SLV (iPad mini 4, 5th gen)	EA	62
71012	LuxePort BLK (iPad 5 th & 6 th gen)	EA	62
71014	LuxePort WHT (iPad 5 th & 6 th gen)	EA	62
71013	LuxePort SLV (iPad 5 th & 6 th gen)	EA	62
71015	LuxePort BLK (iPad Pro 10.5", iPad Air 10.5", 3rd gen)	EA	62
71017	LuxePort WHT (iPad Pro 10.5" iPad Air 10.5", 3rd gen)	EA	62
71016	LuxePort SLV (iPad Pro 10.5" iPad Air 10.5", 3rd gen)	EA	62
71006	LuxePort Wall Adapter Kit BLK	EA	62
71008	LuxePort Wall Adapter Kit WHT	EA	62
71007	LuxePort Wall Adapter Kit SLV	EA	62

SURFACE MOUNT BEZELS

SKU	MODEL	UOM	PAGE
70700	Surface Mount BLK (iPad mini 1, 2, 3)	EA	62
70702	Surface Mount WHT (iPad mini 1, 2, 3)	EA	62
70701	Surface Mount SLV (iPad mini 1, 2, 3)	EA	62
70722	Surface Mount BLK (iPad mini 4, 5th gen)	EA	62
70724	Surface Mount WHT (iPad mini 4, 5th gen)	EA	62
70723	Surface Mount SLV (iPad mini 4, 5th gen)	EA	62
70703	Surface Mount BLK (iPad 5 th & 6 th gen)	EA	62
70705	Surface Mount WHT (iPad 5 th & 6 th gen)	EA	62
70704	Surface Mount SLV (iPad 5 th & 6 th gen)	EA	62
70796	Surface Mount BLK (iPad Pro 10.5", iPad Air 10.5", 3rd gen)	EA	62
70798	Surface Mount WHT (iPad Pro 10.5", iPad Air 10.5", 3rd gen)	EA	62
70797	Surface Mount SLV (iPad Pro 10.5", iPad Air 10.5", 3rd gen)	EA	62
70743	Surface Mount BLK (iPad Pro 12.9", 1st, 2nd gen)	EA	62
70745	Surface Mount WHT (iPad Pro 12.9", 1st, 2nd gen)	EA	62
70744	Surface Mount SLV (iPad Pro 12.9", 1st, 2nd gen)	EA	62
70719	PoE Injector	EA	62
70718	PoE Splitter	EA	62
70720	Glass Mounting Kit	EA	62

SURFACE MOUNT W/ BUTTONS

SKU	MODEL	UOM	PAGE
70764	SM w/6 Buttons BLK (iPad mini 4, 5th gen)	EA	62
70766	SM w/6 Buttons WHT (iPad mini 4, 5th gen)	EA	62
70765	SM w/6 Buttons SLV (iPad mini 4, 5th gen)	EA	62
70758	SM w/10 Buttons BLK (iPad mini 4, 5th gen)	EA	62
70760	SM w/10 Buttons WHT (iPad mini 4, 5th gen)	EA	62
70759	SM w/10 Buttons SLV (iPad mini 4, 5th gen)	EA	62
70767	SM w/6 Buttons BLK (iPad 5 th & 6 th gen)	EA	62
70769	SM w/6 Buttons WHT (iPad 5 th & 6 th gen)	EA	62
70768	SM w/6 Buttons SLV (iPad 5 th & 6 th gen)	EA	62
70761	SM w/10 Buttons BLK (iPad 5 th & 6 th gen)	EA	62
70763	SM w/10 Buttons WHT (iPad 5 th & 6 th gen)	EA	62
70762	SM w/10 Buttons SLV (iPad 5 th & 6 th gen)	EA	62
70778	SM w/6 Buttons BLK (iPad Pro 12.9", 1st & 2nd gen)	EA	62
70780	SM w/6 Buttons WHT (iPad Pro 12.9", 1st & 2nd gen)	EA	62
70779	SM w/6 Buttons SLV (iPad Pro 12.9", 1st & 2nd gen)	EA	62
70781	SM w/10 Buttons BLK (iPad Pro 12.9", 1st & 2nd gen)	EA	62
70783	SM w/10 Buttons WHT (iPad Pro 12.9", 1st & 2nd gen)	EA	62
70782	SM w/10 Buttons SLV (iPad Pro 12.9", 1st & 2nd gen)	EA	62
70719	PoE Injector	EA	62
70718	PoE Splitter	EA	62

xPRESS

SKU	MODEL	UOM	PAGE
70800	xPRESS Keypad	EA	62

SONANCE

BEYOND SOUND

©2019 Sonance. All rights reserved. Sonance, IPORT and TRUFIG are registered trademarks.

Due to continuous product improvement, all features and specifications are subject to change without notice.
For the latest Sonance product specification information visit our website: www.sonance.com

Sonance • 991 Calle Amanecer • San Clemente, CA 92673 USA
08.14.2019 | 338063