


LUXEPORT

Case Manual


iportproducts.com/luxeport-support

GET TO KNOW LUXEPORT CASE

Bezel



Shell (Back)



BOX CONTENTS:

Lock Tool
USB A - Lightning Cable




2

INSTALLING IPAD INTO CASE


Step 1

Insert the lock tool in the side holes where indicated and pry shell apart from bezel by rotating the end of the lock tool towards you.



Step 2

Pull the shell apart from the bezel.



3

Step 3

Insert the Lightning cable into the iPad.




Step 5

Use a flathead screw driver or the security tool to slide the two retaining clips toward the center of iPad. This will secure the iPad to the Bezel.



Step 4


Insert iPad into the Bezel, camera side first. Insert the cable into cable retention as shown.



Step 6


Insert the USB A cable into the USB port on the Shell.

While attaching the Shell, place the cable in the second retention clip on the inside of the Shell.




Step 7

Align the tabs of the Shell making sure the opening for the camera is aligned properly. Press each corner until all tabs securely snap into place.



Step 8

Use the provided lock tool to lock the top two corners of the Case. Turn screws **COUNTER CLOCKWISE** until stop.




***Note** If intending to lock your Case to a BaseStation, ensure to also lock Case.

6

ATTACHING CASE TO BASESTATION & WALLSTATION

Place the Case in Portrait or Landscape. Ensure the Case is properly seated for secure mounting and charging.



Case can be charged in portrait or landscape on both the WallStation and BaseStation.

Dismount Case by pulling from left or right side.




Lock Case to BaseStation if desired using lock tool.

7

REMOVE IPAD FROM CASE


Step 1

Unlock the security locks if applied. Insert the lock tool in the side holes where indicated and pry shell apart from bezel by rotating the end of the lock tool towards you.





Step 2

Pull the shell apart from the bezel, revealing the back of the iPad.



Step 3

Slide the two retaining clips away from the iPad to free the iPad from the LuxePort Bezel.



For more help and info please visit:
iportproducts.com/luxeport

iPort
991 Calle Amanacer
San Clemente, CA 92673
United States of America
+1 949 226 5222



CAUTION: This product contains magnets. Do not place in direct proximity with magnetically sensitive objects such as credit cards or exposed hard drives. Persons with pace makers are not recommended to use this product.



CAUTION: Use products as directed. Unspecified use could result in injury.

Warranty can be found at
iportproducts.com/warranty



33-7854