
# SONANCE

SPECIFICATION GUIDE





# SONANCE

**BEYOND SOUND** 

# DESIGNED TO DISAPPEAR

Technology should disappear into architecture...this simple philosophy continues to inspire everything we do. Our hidden audio solutions deliver an even, balanced sound experience that is nothing short of magical, blending into any style, installation, or budget.

## **AUTHENTIC PARTNERSHIP**

Every day at our home base in San Clemente, CA, you will find passionate, immensely knowledgeable people forging some of the strongest relationships in our industry. From our customer-centric culture to our not-to-be-missed Studio Seminars, we aim to define what authentic partnership looks like. Connecting our strategy and products to your company, we help unlock the most value possible for your business. Our team is your team.

## A HERITAGE OF INNOVATION

The history of our independently-owned company is rooted in a deep knowledge of our customers and construction. From award-winning audio solutions to our unique TRUFIG mounting technology to our IPORT solutions that hold, charge, protect tablets, customers rely on our culture of creativity to continue to push the boundaries of technology and design.

# TABLE OF CONTENTS


6-8	WE BELIEVE
9-26	DISTRIBUTED AUDIO
15-16	Invisible Series
17-18	Architectural Series
19-22	Visual Performance
23-26	Amplifiers
27-40	SURROUND SOUND
31-34	Reference
35-38	Subwoofers
39-40	Soundbar
41-62	OUTDOOR AUDIO
45-48	Sonance Landscape Series
49-54	Sonance Garden Series
55-58	Sonarray
59-60	VP Extreme
61-62	Mariners and Rocks
63-68	COMMERCIAL SOLUTIONS
67-68	Professional Series
68-74	IPORT
75-78	TRUFIG
79-80	DESIGN SERVICES

# WE BELIEVE

#### WE BELIEVE SPEAKERS SHOULD BLEND IN WITH THE DESIGN OF YOUR SPACE...


Audio is very much an integral part of the overall design of a space. When consideration is taken during the conceptual phase, the audio design can be a purposeful and elegant addition to a room while providing stunning audio to enhance the activities of everyday life. By paying attention to the architectural elements in a room, we often take cues from the size, shape, and trim of the lighting fixtures in the ceiling when considering a great speaker layout. The expansive Sonance finish options help to prompt the question, "How Do You Want Your Sound to Look?".


Lights in a ceiling are often selected to achieve suitable illumination for even coverage and to visually complement the design of the space. In order to achieve a harmony between lights and speakers, it makes sense for them to have a similar appearance. You can suit every aesthetic by selecting speakers that are the same shape, size, and installation profile as the lighting.



#### ...AND BE COMFORTABLE TO LISTEN TO.

Music is a simple yet powerful element that enhances our day-to-day activities. We believe that audio should provide a comfortable listening environment by fidelity, output and proper coverage. Just as a great lighting plan provides even, balanced coverage of light, a great speaker layout should provide even, balanced coverage of sound. The result is an enveloping sound experience that allows for comfortable conversation anywhere in the room.






# SONANCE DISTRIBUTED AUDIO




## TRADITIONAL COVERAGE

Only two speakers in a room often results in uneven volume throughout the space; too loud under the speakers and too quiet away from them. Similarly, if there are only two lights in a room, there would be problems with hot spots where some areas are too bright and other areas are too dim.



# EVEN, BALANCED COVERAGE


By designing a system of multiple speakers, hidden subwoofers and DSP amplification, sound is evenly distributed throughout the space.






## A BETTER APPROACH TO HOME AUDIO

Sonance audio solutions can scale to meet the need of any space, from the open concept design of a great room to the intimate setting of a smaller bedroom or study.



#### TRADITIONAL COVERAGE


Uneven audio levels will compromise the mood in the room, resulting in "hot spots".




#### **EVEN, BALANCED COVERAGE**

Everyone enjoys the perfect audio level, no matter where they are in the room.





## PERFORMANCE AND DESIGN




# STATE-OF-THE-ART DESIGN AND CONSTRUCTION

Sonance Invisible Series speakers feature a highquality extruded aluminum chassis and injection molded polypropylene diagram for many years of reliable service and peace of mind.



#### SUPERIOR SOUND

Sonance Invisible Series speakers reproduce full range audio, including crystal clear treble, natural midrange and deep smooth bass response. The result is best-in-class sonic performance that sets the benchmark for the Invisible Speaker category.



#### WIDE DISPERSION

Sonance Invisible Series features a best-in-class 170° of dispersion, which means the sound is spread out wider from the speaker, delivering even volume levels and better sound quality throughout the entire space.

#### **SPEAKERS**



IS4 SST



## 2

#### WOOFER



ISW
Dimensions (WxHxD): 16 1/8" x 24 1/8" x 2"

#### **CUSTOM PARTS**



IS2 Small Space Saver



IS2 Small Enclosure



IS4, IS4 SST, and ISW Large Space Saver




IS4, IS4 SST, ISW Large Enclosure

#### SMALL 2-WAY SPEAKER: IS2

Dimensions (WxHxD): 16 3/32" x 12 3/32" x 2"

LARGE 3-WAY SPEAKERS: IS4 | IS4 SST | IS4 C Dimensions (WxHxD): 16 1/8" x 24 1/8" x 3 11/16"



#### **DISCREET OPENING**







Round Grille


Square Grille

#### AS38RS

Dimensions (DiaxD): 3 7/8" x 3 13/16"



Discreet Gypsum Mounting Platform Round



Discreet Gypsum Mounting Platform Square



Discreet Solid Surface Mounting Platform SQ & R

#### DISCREET GYPSUM MOUNTING PLATFORM 5/8" Square or Round | 1/2" Square or Round

DISCREET SOLID SURFACE MOUNTING PLATFORM Square and Round

Dimensions (WxHxD): 12" x 31 7/8" x 1 15/32"

#### **MEDIUM**







Round Grille


Square Grille

AS68RS

Dimensions (DiaxD): 8" x 5 3/16"



Medium Gypsum Mounting Platform Round



Medium Gypsum Mounting Platform Square



Medium Solid Surface Mounting Platform SQ & R

#### MEDIUM GYPSUM MOUNTING PLATFORM

5/8" Square or Round | 1/2" Square or Round

#### MEDIUM SOLID SURFACE MOUNTING PLATFORM

Square and Round

Dimensions (WxHxD): 16 3/8" x 30 13/32" x 3 13/16"

#### **BANDPASS SUBWOOFERS**

Requires DSP 2-150 MKII or DSP 8-130 MKII amplification.









Round Grille Square Grille

#### **BPS8 SUBWOOFER**

Dimensions (HxWxD): 9 1/4" x 12 5/16" x 24"

Accessories: ASBPC6RS Medium 1/2" or 5/8" Gypsum MP SQ or R Medium Solid Surface MP SQ & R









BPS6 TL

ASBPC3RS TL

Round Grille

Square Grille









Slot Connector



#### BPS6 TL SUBWOOFFR

Dimensions (HxWxD): 39 3/8" x 11" x 3 3/8"

Accessories: ASBPC3RS TL 5/8" or 1/2" Gypsum MP SQ or R TL Thin-line Bandpass Slot Connector









Round Grille

Square Grille

#### **BPS6 SUBWOOFER**

Dimensions (HxWxD): 7 7/8" x 11 15/16" x 15 3/4"

Accessories: ASBPC3RS Discreet 1/2" or 5/8" Gypsum MP SQ or R Discreet Solid Surface MP SQ & R Thin-line Bandpass Slot Connector



Thin-line Bandpass Slot Connector





# SOLUTIONS FOR ALL Sonance Visual Performance speakers and subwoofers set the industry standard for the visual finish of in-wall and in-ceiling speakers with our award-winning low-profile grille that is paintable to blend into the wall or ceiling surface. With three shapes and four sizes, several performance levels and a range of specialty application speakers, any space or application can have a consistent finish throughout.

#### PERFORMANCE LEVELS

Sonance Visual Performance Series speakers deliver renowned Sonance audio quality in five performance levels. Constructed from state-of-the-art materials that are extremely rigid and lightweight, Sonance Visual Performance Series speakers enable music to reproduce accurately and with precise detail. With multiple performance levels, there is a Sonance speaker for every ear and every budget.



LEVEL 4

**WOOFER:** Textured Polypropylene cone,

rubber surround

**TWEETER:** Powder coated Aluminum dome, Ferrofluid cooled, pivoting



#### LEVEL 0

**WOOFER:** Polypropylene cone, rubber surround **MID RANGE:** Polypropylene cone, rubber surround

TWEETER: Cloth dome, Ferrofluid cooled



#### LEVEL 6

**WOOFER:** Kevlar/Nomex laminated cone, rubber

surround

MID RANGE: Kevlar/Nomex laminated cone, rubber

surround, pivoting

TWEETER: Powder coated Aluminum dome.

Ferrofluid cooled, pivoting



#### LEVEL 2

WOOFER: Textured Polypropylene cone, rubber

surround

MID RANGE: Textured Polypropylene cone, rubber

surround

TWEETER: Cloth dome, Ferrofluid cooled, pivoting



#### LEVEL 8

**WOOFER:** Carbon Fiber/Rohacell laminated cone, rubber surround, extended pole piece


MID RANGE: Carbon Fiber/Rohacell laminated cone,

rubber surround, pivoting

TWEETER: Ceramic dome, Ferrofluid cooled, pivoting

#### SPEAKER DENOTATION

Sonance speakers can be easily identified by their naming structure.





#### **SQUARE ADAPTER**

Square grille adapter allows the flexibility to convert a round inceiling speaker to a square aesthetic without additional cutting into the surface.

#### **DIRECTIONAL WOOFERS AND TWEETERS**

Independently pivoting woofers and tweeters allow for placement of speakers where they look the great with directionality for the best sonic performance.

#### **COLOR MATCHING**

One-piece paintable grilles allow for a single-step painting process, ensuring a high-quality result and accurate color matching that allows them to disappear into the surrounding wall or ceiling.

#### **IN-WALL**











VP66



VP62





VP86



4" SPEAKERS: VP48 | VP46 | VP42 Dimensions (WxHxD): 5 9/16" x 8 7/8" x 3"

6" SPEAKER: VP68 | VP66 | VP62 Dimensions (WxHxD): 8 3/8" x 12 1/4" x 3 1/2"

8" SPEAKERS: VP88 | VP86 | VP82 Dimensions (WxHxD): 10" x 16" x 3 7/8"

#### **IN-CEILING**

Square adapter optional



VP48R

VP88R



VP46R

VP66R

VP86R



VP42R

VP62R



VP38R

VP60R

VP80R







C6R SST



VP3SQ

VP3SQ

**IN-CEILING C SERIES** 

Square adapter optional

6" SPEAKER: C6R | C6R SST Dimensions (DiaxD): 9" x 3 3/4"

**SQUARE ADAPTERS** 

Dimensions (WxH): 4 29/32" x 4 29/32"

#### VP4SQ

Dimensions (WxH): 7" x 7"

#### VP6SQ

Dimensions (WxH): 9 7/8" x 9 7/8"

#### VP8SQ

Dimensions (WxH): 11 3/4" x 11 3/4"

#### 3" SPEAKER: VP38R

VP82R

VP64R

Dimensions (DiaxD): 4 5/16" x 3 7/8"

#### 4" SPEAKER: VP48R | VP46R | VP42R

Dimensions (DiaxD): 6 7/8" x 3 3/4"

#### 6" SPEAKERS: VP68R | VP66R | VP64R | VP62R | VP60R

Dimensions (DiaxD): 9 3/4" x 4 3/4"

#### 8" SPEAKERS: VP88R | VP86R | VP82R | VP80R

Dimensions (DiaxD): 11 5/8" x 6 1/16"

#### THIN-LINE / ULTRA THIN-LINE



VP66R TL

VP62R TL







VP66 TL

SST/SUR TL

VP52R UTL

IN-CEILING ROUND SPEAKERS: VP66R TL | VP62R TL

VP62R SST/SUR TL | VP52R UTL (Depth of 1 7/16")

Dimensions (DiaxD): 9 3/4" x 3 5/32"

#### IN-WALL RECTANGLE SPEAKER VP66 TL

Dimensions (WxHxD): 5 9/16" x 8 7/8" x 2 1/2"

#### **EXTREME**







VPXT6

VPXT6R

VPXT6R SST

#### IN-WALL RECTANGLE SPEAKER: VPXT6 Dimensions (WxHxD): 8 3/8" x 12 1/4" x 2 1/2"

#### IN-CEILING ROUND SPEAKERS: VPXT6R | VPXT6R SST Dimensions (DiaxD): 9 3/4" x 3 1/2"

#### IN-CEILING ROUND SPEAKER: VPXT8R Dimensions (DiaxD): 11 5/8" x 3 3/4"

#### **EXTREME SQUARE ADAPTERS**





#### VPXT6SQ

Dimensions (WxH): 4 29/32" x 4 29/32"

#### VPXT8SQ

Dimensions (WxH): 11 7/8" x 11 7/8"

#### LCR









VP62 LCR

IN-WALL SPEAKERS: VP62 LCR | VP66 LCR Dimensions (WxHxD): 5 9/16" x 8 7/8" x 3 9/16"

#### SINGLE STEREO



VP66

SST/SUR



VP46R

SST/SUR



SST/SUR







SST/SUR

#### 6" RECTANGLE SPEAKER: VP66 SST/SUR

Dimensions (HxWxD): 8 3/8 x 12 1/4" x 3 1/2"

#### 4" SPEAKER: VP46R SST/SUR

Dimensions (DiaxD): 6 7/8" x 3 3/4"

#### 6" SPEAKER: VP62R SST/SUR | VP66R SST/SUR

Dimensions (DiaxD): 9 3/4" x 4 3/4"

#### 8" SPEAKER: VP86R SST/SUR

Dimensions (DiaxD): 11 5/8" x 5 7/8"

#### PRECONSTRUCTION ACCESSORIES



Round Flex Brackets



Round Retrofit Enclosures



Large Round Cover Plate



Fire-Rated Deep Backcan



Medium and Large Round Acoustic Enclosures

#### **SUBWOOFERS**

Requires DSP 2-150 MKII or DSP 8-130 MKII amplification.











VPBPC3R TL



BPS6 TL



#### SUBWOOFER: BPS8

Dimensions (HxWxD): 9 1/4" x 12 5/16" x 24" Required Accessory: VPBPC4R or VPBPC6R

#### SUBWOOFER: BPS6 TL

Dimensions (HxWxD): 39 3/8" x 11" x 3 3/8" Required Accessory: VPBPC3R TL or VPBPC3R

#### SUBWOOFER: BPS6

Dimensions (HxWxD): 7 7/8" x 11 15/16" x 15 3/4" Required Accessory: VPBPC3R







#### SUBWOOFER: VPSUB Dimensions (WxHxD): 15" x 15" x 3 7/8"

WOOFER: VP85R W Dimensions (DiaxD): 11 5/8" x 3 7/8"

#### WOOFER: VP85 W

Dimensions (HxWxD): 16" x 10" x 3 7/8"



# INDUSTRY-LEADING AMPLIFICATION

When it comes to reliable distributed audio, nobody has been doing it longer than Sonance. Building from the legacy of the original SonAmp 260, recognized as the industry's first distributed audio amplifier, Sonance Digital and DSP Amplifiers utilize cutting-edge technology to bring out the absolute best sonic performance from Sonance speakers.





# PERFECTLY TAILORED AUDIO PERFORMANCE

Every space is acoustically different. DSP amplifiers complete every system by offering digital signal processing to optimize the performance of Sonance systems and speakers and to help correct for a room's shape, size, and furnishings. This ensures audiophile clarity in every room.


# OUTSTANDING AUDIO IN ANY ENVIRONMENT

Sonance DSP amplifiers feature SonARC (Sonance Advanced Room Correction) built right in, providing hundreds of EQ presets designed specifically for Sonance speakers, available through simple pull-down menus. The presets enable effortless DSP without the need for outside hardware, software, and time. Additionally, should there be a need for further customization, SonARC provides a 10-band parametric EQ to optimize sonic performance in any space.



# ADAPTABLE AND FLEXIBLE

Whether a space is a new construction, remodel, large or small, DSP amplifiers are powerful and flexible to work with various combinations of Sonance speakers and subwoofers. Sonance also offers 70V/100V DSP amplifiers that can be set for 8 Ohm or 70V/100V applications, making them perfect for commercial applications as well as residential.



#### DIGITAL AMPLIFIERS





ASAP3D SE



2-100 Output Power per Channel: 100 W RMS (8 Ohms) 156 W RMS (4 Ohms), 325 W (bridged at 8 Ohms)

50 W RMS (4 Ohms)

12-50 Output Power per Channel: 50 W RMS (8 Ohms)

ASAP3D SE Output Power per Channel: 25 W RMS (8 Ohms)

50 W RMS (4 Ohms), 100 W (bridged at 8 Ohms)

#### DSP AMPLIFIERS WITH SONARC V2





DSP 2-750 MKII





DSP 2-750 MKII Output Power per Channel: 500 W RMS (8 Ohms)

750 W RMS (70V), 2000 W (bridged at 8 Ohms)

DSP 8-130 MKII Output Power per Channel: 130 W RMS (8 Ohms)

145 W RMS (4 Ohms), 300 W (bridged at 8 Ohms)

DSP 2-150 MKII Output Power per Channel: 150 W RMS (8 Ohms)

224 W RMS (4 Ohms), 473 W (bridged at 8 Ohms)

SR 2-125 Output Power per Channel: 125 W RMS (8 Ohms)

200 W RMS (4 Ohms)

#### HIGH-RESOLUTION PLAYBACK

At the core of every Sonance DSP amplifier is a powerful 24 bit/96K DAC, capable of handling a full 4608 Kbps of audio data. Sonance DSP amplifiers enable listeners to enjoy the full clarity and output of whatever audio passes through, from MP3 to full high-resolution audio. Sonance DSP amplifiers prepare any audio system for what's next.



#### DIGITAL INPUT MODULE & HYBRID INPUT MODULE

Sonance Input Modules are the ultimate enhancements to a Sonance DSP amplifier. These input cards enable a direct connection to a digital source ensuring the signal passes through to the 24 bit/96kHz capable DAC in the amplifier with the shortest signal path possible and at the highest performance level.



Digital Input Module

DIM MODULE
Dimensions (WxHxD): 3" x 1 1/2" x 3 13/32"
Depth with RCAs: 3 11/16"



Hybrid Input Module

HIM MODULE
Dimensions (WxHxD): 3" x 1 1/2" x 3 13/32"
Depth with RCAs: 3 11/16"

# SONANCE SURROUND SOUND



# SURROUND SOUND APPLICATIONS






# CASUAL ENTERTAINMENT

With the understanding that not every space is intended to be used as a dedicated theater, Sonance offers an assortment of products to build a stunning surround experience in rooms with unique layouts and space limitations. Sonance surround sound products allow for a superbly immersive experience even in casual viewing and gathering areas.

# **ULTIMATE EXPERIENCE**

For spaces that demand the ultimate surround sound immersion, Sonance excels with a selection of dedicated speakers and high-performance subwoofers; fidelity, clarity, and output culminate in breathtaking saturation of all the audio content has to offer.







#### **REFERENCE**

Sonance takes entertainment to a whole new level with a range of purpose-built products that are specifically designed to bring out the best in television, movies, gaming and concerts. From living rooms to dedicated home theater spaces, the complete range of Sonance surround sound products delivers an intense and impactful experience to home entertainment.

#### **DESIGNED TO DISAPPEAR**

Created for AV Designers building systems that require the best surround sound available with a look that fits the space aesthetically, Sonance Reference speakers provide truly incredible sound. Engineered for an amazing cinema experience in any room, Reference has options for in-wall, in-ceiling and cabinet speakers, and in-wall subwoofers.

#### MIX AND MATCH

No two spaces are the same, which is why Reference speakers are designed to be mixed and matched to suit any room layout. The consistent drivers and crossover design allow for in-wall, in-ceiling or cabinet speakers to be combined without compromising the sonic performance of the system.

#### **IN-WALL**





IN-WALL SPEAKERS: R2 | R2SUR Dimensions (WxHxD): 8 7/8" x 34 7/8" x 3 7/8"





IN-WALL SPEAKERS: R1 | R1SUR Dimensions (WxHxD): 8 7/8 " x 21 3/4" x 3 7/8"

#### **IN-CEILING**





IN-CEILING SPEAKERS: R1C | R1CSUR Dimensions (WxHxD): 13 25/32" x 13 25/32" x 7 9/16"

#### REFERENCE LCR CABINET





R1CAB

LCR CABINET SPEAKER: R1CAB
Dimensions (WxHxD): 7 1/2" x 22" x 9 1/16"



#### REFERENCE IN-WALL SUBWOOFERS

#### **REFERENCE IN-WALL SYSTEMS**









R10SUB

R12SUB

R10SUBENC

R12SUBENC

SONANCE

SENC System R12SUBENC Syst

#### 10" SUBWOOFER: R10SUB

Dimensions (WxHxD): 10 7/16" x 10 7/16" x 3 5/32"

#### 12" SUBWOOFER: R12SUB

Dimensions (WxHxD): 12 3/8" x 12 3/8" x 3 5/32"

#### 10" ENCLOSURE: R10SUB ENC

Dimensions (WxHxD): 14 1/4" x 47 1/4" x 3 7/16"

#### 12" ENCLOSURE: R12SUB ENC

Dimensions (WxHxD): 14 1/4" x 70 7/8" x 3 7/16"


#### R10SUB ENC 10" SYSTEM

(Includes 2 subwoofers, 2 enclosures, 1 DSP 2-150) Dimensions (WxHxD): 14 1/4"  $\times$  47 1/4"  $\times$  3 7/16"

#### R12SUB ENC 12" SYSTEM

(Includes 2 subwoofers, 2 enclosures, 1 DSP 2-750)

Dimensions (WxHxD): 14 1/4" x 70 7/8" x 3 7/16"



### **IMPACT SUBWOOFERS**

Sonance Impact subwoofers are constructed to deliver powerful, accurate, low-distortion bass in any room. Featuring a glass fiber woofer cone, a sealed amp plate, and a front facing ported design; Impact subwoofers are the perfect low end support for watching TV or movies, playing video games, or listing to music.

### **ELEGANT AESTHETIC**

Impact subwoofers feature a high gloss piano-black finish and black cloth speaker grille to deliver an elegant and minimalistic aesthetic. The cabinet dimensions have been kept to a minimum to reduce the visual impact in the room.



### SONARC FOR SUBWOOFERS

The SONARC app allows you to instantly configure the Impact subwoofer for great playback with key adjustment at your fingertips. Let Sonance adjust the Impact subwoofer to the room with SonARC customization within the app.





### **IMPACT CABINET SUBWOOFERS**

Featuring SonARC V2







**18 CABINET SUBWOOFER** Dimensions (WxHxD): 12" x 14" x 12"

i10 CABINET SUBWOOFER Dimensions (WxHxD): 14" x 16" x 14"

i12 CABINET SUBWOOFER Dimensions (WxHxD): 16" x 18" x 16"

### **WIRELESS TRANSMITTER**





WIRELESS TRANSMITTER Dimensions (WxHxD): 1 3/16" x 3 1/8" x 2 1/2"



### **D8 SUBWOOFER**









### D8 SUBWOOFER

Dimensions (WxHxD): 7.5" x 7.5" x 9" Available in black and white Featuring SonARC V2

### TINY DESIGN, HUGE SOUND

The Sonance D8 subwoofer features two powerful vibration-canceling 8" square drivers, wireless connectivity and our SonARC for subwoofers DSP technology, all within a sleek ultra-compact cabinet.



### **WIRELESS TRANSMITTER**





WIRELESS TRANSMITTER
Dimensions (WxHxD): 1 3/16" x 3 1/8" x 2 1/2"



### **SOUNDBARS**

Sonance soundbars offer a wide range of solutions that fit any flat panel display from 50" up to 85". Our fixed width soundbars provide a clean aesthetic while our adjustable width soundbars provide onsite adjustability, giving you the ability to perfectly match the width of any display. The minimalistic black perforated metal grille allows for a seamless aesthetic that complements modern display designs, while the true 3-way speaker configuration and state-of-the-art driver materials deliver best-in-class sonic performance, with clarity, wide sound stage, and natural playback.

### ADJUST TO MATCH YOUR DISPLAY

Sonance adjustable soundbars feature sliding end grilles that are adjusted without the use of tools. Simply loosen the thumbscrew on the back and slide the grille out to perfectly match the width of the display. It couldn't be easier.

### SEAMLESS GRILLE SOLUTIONS

Sonance soundbar combines proven Sonance adjustable soundbar performance with a sleek single-piece grille to perfectly match most large video displays with a seamless finish. With a soundbar to fit displays 55", 65", 75" and 85", Sonance soundbar ensures a custom look and finish every time with class-leading audio performance.

### **TRUE 3-WAY DESIGN**

Each of the three speaker chambers features a coaxial 1" powder-coated aluminum tweeter, a 4" laminated Kevlar and Nomex midrange, paired with dual 4 1/2" laminated Kevlar and Nomex woofers. This expertly engineered design delivers sound which is both natural and precise.

### SOUNDBAR



### SB46-55 SOUNDBAR

Dimensions (WxHxD): 48 5/16" x 5 9/32" x 2 9/16"

### SB46-65 SOUNDBAR

Dimensions (WxHxD): 56 29/32" x 5 9/32" x 2 9/16"

### SB46-75 SOUNDBAR

Dimensions (WxHxD): 66" x 5 9/32" x 2 9/16"

### SB46-85 SOUNDBAR

Dimensions (WxHxD): 75 1/4" x 5 9/32" x 2 9/16"

### ADJUSTABLE-WIDTH SOUNDBAR



### SB46M SOUNDBAR

Dimensions (Adj. WxHxD): 43 7/8" - 59 5/8" x 5 9/32" x 2 9/16"

### SB46L SOUNDBAR

Dimensions (Adj. WxHxD): 61 1/2" - 77 5/16" x 5 9/32" x 2 9/16

### SUGGESTED SPEAKER PAIRING



VP46R SST/SUR

4" SPEAKER: VP46R SST/SUR Dimensions (DiaxD): 6 7/8" x 3 3/4"

### SUGGESTED SUBWOOFER PAIRING




i10

10" SUBWOOFER: i10 Dimensions (WxHxD): 14" x 16" x 14"

# SONANCE OUTDOOR AUDIO





## TRADITIONAL SPEAKER PLACEMENT


In typical outdoor audio installations a pair of speakers is usually tasked with filling an entire yard resulting in music that is either so loud that is becomes uncomfortable or so soft that it is un-engaging.


### **UNEVEN VOLUME**

Speaker placement in one location creates very loud areas near those speakers and little to no sound further away. This can impact furniture arrangements and natural gathering areas.

### **UNBALANCED COVERAGE**

It is easy to move in and out of the left and right channels and miss discrete information in the audio.





### **UNWANTED NOISE**

Audio can spill over to neighboring properties creating unwanted disturbances.

### THE SYSTEM APPROACH

Designing a system composed of satellite speakers, subwoofers, amplifiers and DSP technology helps envelop a space fully in clear and balanced audio.


### **EVEN VOLUME**

This approach is similar to a well layered lighting design that has no hot spots or dark spots, but rather provides smooth even coverage throughout the area.

### EVEN, BALANCED COVERAGE

With satellite speakers and buried subwoofers strategically arranged around the perimeter of the property, audio is able to cover the area from all angles and comfortably immerse the audience.





### **NO DISTURBANCES**

By positioning the system's speakers and subwoofers toward the listening area, no sound is projected out to the neighbors.



### SATELLITE SPEAKERS

Sonance Landscape Series satellite speakers are selectable for 70V/100V or 8 Ohm configuration and are designed borrowing performance features proven successful by other Sonance products. With new larger Klippel distortion treated drivers as seen in VP Extreme and the same Sonance Laminated Core Transformer as Sonance Professional Series products, SLS satellite speakers provide smooth, effortless bass and clear and natural treble.





### SMOOTH AND POWERFUL BASS RESPONSE

Sonance Landscape Series subwoofers are available in 12" and 15" inground or 12" hardscape solutions and are also 70V/100V or 8 Ohm configurable. With a laminar flow port supporting the in-ground subs and the Sonance Laminated Core Transformer featured in all three subs, Sonance Landscape Series subwoofers present the perfect punch for outdoor environments, filling the space with depth and detail.



Cover ON

Cover OFF

### **SATELLITES**



LS6T SAT

4

LS4T SAT

LS6T SAT SPEAKER Dimensions (Dia): 6 1/2"

LS4T SAT SPEAKER Dimensions (Dia): 4 1/2"

### **SUBWOOFERS**







LS12T SUB



HS12T SUB

### LS15T SUB Overall Dimensions (WxH): 21 1/4" x 33 1/2"

### 

HS12T SUB
Dimensions (WxHxD): 16 1/8" x 16 1/8" x 16 1/8"





### **WEATHER THE ELEMENTS**

Sonance Landscape Series speakers and subwoofers are designed to operate under the most extreme weather conditions, from -20 to 190 F. Triple sealed enclosures, waterproof connectors and marine grade components ensure SLS will stand up to the harshest elements including surf, sun, sand and snow.

















### **FLEXIBLE INSTALLATION**

SLS speakers feature versatile mounting hardware options, allowing them to be positioned strategically to create the optimal sound experience.



### **ACCESSORIES**





19" Ground Stake

9" Ground Stake







Surface Mount

Tree Mount

# SONANCE GARDEN SERIES





### SONANCE GARDEN SERIES

### FEATURES AND FLEXIBILITY

Featuring a 3.5" anodized aluminum woofer and a 3/4" polyurethane dome tweeter, the Sonance Garden Series two-way satellite design brings surprising detail to outdoor spaces. The replaceable grille makes servicing the system a breeze and the adjustable speaker knuckle allows the SGS SAT to be precisely positioned for great coverage. The system installation is flexible with multiple available installation options, from the included 1/2" NPS ground stakes to the optional surface mount or tree mount accessories.

The 10" dual voice coil, in-ground subwoofer provides amazing bass to complete the outdoor music experience. Taking advantage of our latest laminar flow port design, the SGS SUB delivers smooth bass that's ready for the elements. The high-density polyethylene enclosure is fully sealed and non-corroding, ensuring years of enjoyment.

### WEATHER THE ELEMENTS

The Sonance Garden Series speakers and subwoofers are designed to operate under the most extreme weather conditions, from -20 to 190 F. Triple sealed enclosures, waterproof connectors and marine grade components ensure SGS will stand up to the harshest elements including surf, sun, sand and snow.







SNOW





SUN







### SGS 8.1 SYSTEM

Sonance Garden Series is flexible for system design from a single four conductor wire. Our DSP Amplifiers will support speaker layouts of 8.1/8.2, 12.1/12.2 up to 16.1/16.2 configurations, helping to set the mood for engaging outdoor music in spaces up to 3,500 sq. ft. Sonance Garden Series can be expanded for up to 16 speakers and two subwoofers on a single amplifier.



SGS 8.1 SYSTEM WITH SR 2-125 DSP AMPLIFIER

### **SGS ADD-ON PRODUCTS**

### 2-125 AMPLIFIER



SR 2-125 AMPLIFIER
Dimensions with feet (WxHxD): 8 5/8" x 2 1/8" x 16 13/16"

### SGS SAT 4-PACK




SGS SAT 4-PACK
Dimensions with Stake (LxDia.): 16 1/2" x 4 1/2"


### SGS SUB




SGS SUB
Overall Dimensions (LxDia.): 5" x 15"




### **SONANCE GARDEN SERIES CONFIGURATIONS**



SONANCE GARDEN SERIES 8:1 CONFIGURATION



SONANCE GARDEN SERIES 12:2 CONFIGURATION



SONANCE GARDEN SERIES 16:2 CONFIGURATION



### SATELLITE SPEAKERS

SONARRAY SR1 includes eight satellite speakers with full-range drivers to deliver crystal clear sound. By positioning the speakers around the perimeter of the entertaining area, facing inwards, the space is enveloped in beautiful sound at the perfect volume, without loud zones or dead spots.

### **SUBWOOFER**

SONARRAY features an 8" dual voice coil, buried subwoofer, which delivers incredibly smooth bass. The SR1's subwoofer radiates sound throughout the same area as the eight satellite speakers, pairing even bass with breathtaking fidelity and clarity.

### **BRING IT ALL TOGETHER**

The SONARRAY system is completed with a Sonance SR 2-125 amplifier. With presets designed specifically for SONARRAY and tested for any environment, the SR 2-125 perfectly tunes and balances the SONARRAY system. A single SR 2-125 amplifier will support a standard system of eight speakers and one subwoofer or can power an expanded system of up to 16 speakers and two subwoofers for greater area coverage.

### **SONARRAY SRI SYSTEM**



SONARRAY SR1 System with SR 2-125 Amplifier

SONARRAY SR1 System without Amplifier

### **SONARRAY ADD-ON PRODUCTS**

### SR 2-125 AMPLIFIER



SR 2-125 Dimensions with feet (WxHxD): 8 5/8" x 2 1/8" x 16 13/16"

### **SONARRAY SR1 SAT 4-PACK**




SR1 SAT 4-PACK
Overall Dimensions (LxDia.): 6 1/2" x 4 1/8"

### **SONARRAY SR1 SUB**




SR1SUB
Overall Dimensions (LxDia.): 22" x 15"




### **SONARRAY CONFIGURATIONS**



**SONARRAY 8:1 CONFIGURATION** 




**SONARRAY 12:2 CONFIGURATION** 



SONARRAY 16:2 CONFIGURATION

58



### **EXTREME POST CAPTURE**

With extreme circumstances in mind, Sonance developed Extreme Post Capture grille retention technology (XPC) to securely grip each Extreme grille to its speaker. This protects the grilles from harsh encounters with wind and high pressure washing. Extreme square grille adapters and grilles seamlessly transform any Extreme round speaker into a square finish without the need for additional cutting. Also featuring Sonance XPC technology, square grilles will remain intact when presented with intense wind or water.





### **SQUARE ADAPTERS**





VPXT8SQ
Dimensions (WxH): 11" x 11"

VPXT6SQ
Dimensions (WxH): 9 7/8" x 9 7/8"

### **IN-WALL SPEAKER**



**VPXT6 SPEAKER**Dimensions (WxHxD): 8 3/8" x 12 1/4" x 2 1/2"

### **IN-CEILING SPEAKERS**








VPXT6R



VPXT6R SST

SPEAKER: VPXT8R Dimensions (DiaxD): 11 5/8" x 3 3/4"

SPEAKERS: VPXT6R | VPXT6R SST Dimensions (DiaxD): 9 3/4" x 3 1/2"





### **MARINERS**

Sonance Mariner speakers feature an innovative front-mounted terminal connection that not only makes wiring easier, it safeguards the speaker terminals against moisture and the elements. Mariner speakers feature an exclusive Fastmount® bracket system that enables simple push and lock to fasten each speaker into place—no threaded knobs or extra hardware necessary. Once mounted, the speaker can be easily pivoted to direct the sound where you want it, and they will stay where you position them without drooping or slipping over time. Finished with a perfect fit trimless grille engineered to remain securely in place, Mariner speakers will contribute a sleek and clean look to any outdoor space.



### **ROCKS**

Sonance rock speakers utilize a durable weather-resistant construction that is built to withstand the harshest outdoor environments. Featuring waterproof drivers, the Sonance RK63 and RK83 deliver clean articulate sound while standing up to the elements. For those wanting even more impressive sound outdoors, the optional RK10W subwoofer features the same durable construction with a 10" polypropylene cone woofer for added bass response.

### **MARINERS**

Available in black and white



Mariner 54 SST



Mariner 5



Mariner 64





Mariner 86

SMALL SPEAKERS: MARINER 54 | MARINER 54 SST | MARINER 56 Dimensions (WxHxD): 6 3/8" x 10" x 5 3/4"

MEDIUM SPEAKERS: MARINER 64 | MARINER 64 SST | MARINER 66 Dimensions (WxHxD): 7 1/2" x 12 1/4" x 6 3/4"

> LARGE SPEAKERS: MARINER 86 Dimensions (WxHxD): 9" x 14" x 8 1/2"

### ROCKS

Available in brown and granite



SMALL SPEAKER: RK63
Dimensions (WxHxD): 13 3/4" x 11" x 11"

LARGE SPEAKER: RK83
Dimensions (WxHxD): 17 1/4" x 12 1/2" x 14"

### **ROCK SUBWOOFER**

Available in brown and granite



RK10W Woofer

WOOFER: RK10W Dimensions (WxHxD): 19 3/8" x 16 7/8" x 14 3/8"

# SONANCE COMMERCIAL SOLUTIONS







### **INVISIBLE SERIES**

Sonance offers a completely invisible solution intended for commercial applications requiring ultimate elegance. The IS4 C is specified exclusively in many retail spaces for luxury boutique brands throughout the world. Its use of the Sonance Laminated Core Transformer for 70V/100V flexibility makes it a powerful and desirable option for the demands of commercial spaces.



### **SONANCE LANDSCAPE SERIES**

With the Sonance Laminated Core Transformer for 70V/100V or 8 Ohm configurations, SLS can seamlessly transition music for commercial spaces from indoors to outdoors. SLS is widely used in amusement parks, wineries, hotels, resort gardens, and golf courses around the globe.



### **IPORT**

IPORT by Sonance offers elegant solutions for the home and business. Transforming the way dedicated use tablets are incorporated into the workplace, IPORT continues to redefine where and how businesses use tablets in applications like hotel rooms, corporate offices, yachts, and fleet vehicles. IPORT products solve real business problems and enhance the usability of tablets.



### **SONANCE 70V DSP AMPLIFIERS**

Sonance 70V DSP Amplifiers are a powerful way to complete any commercial audio system. With Sonance DSP curves to satisfy adjustments and tuning for speaker placement and atmosphere, Sonance amplifiers perfectly optimize any commercial system.

66



### **IN-CEILING**

- · UL 1480 & UL 2043 Certified
- · Two-Way Pivoting Tweeter
- · Finger-Adjustable Tap Switch
- · Integrated Backcan
- · One-Piece Magnetic Paintable Grille
- · Optional Black Grille
- · Optional Square Adapter in Black or White Grille Options

### SURFACE MOUNT

- · UL 1480. IPX4. MIL SPEC810. & UV IEC 529 Certified
- · Powder Coated Aluminum Grille
- · Black or White Paintable Options
- · Front-Mounted Tap Switch
- · Front-Mounted Connector with Cover
- · FastMount® Bracket System

### **PENDANT**

- · UL 1480 & UL 2239 Certified
- · Two-Way Pivoting Tweeter
- · One-Piece Magnetic Grille
- · Black or White Paintable Options
- · Front-Mounted Tap Switch
- · Hanger and Connector Cover
- · Ships with Gripple Mounting Kit

### **SUBWOOFER**

- · 70V/100V with 8 Ohm Bypass
- Movable Port for Orientation
- · Optional Low-Profile Bracket
- · Fly-Points for Suspension Mounting
- · Under-Seat Mounting
- · Cable Strain Relief

### **IN-CEILING**

Available in black or white grille







PS-C83RT







PS-C83RWT PS-C43RTLP PS-C63RTLP

### PS-C43RT

Dimensions (DiaxD): 6 3/10" x 7"

### PS-C63RT

Dimensions (DiaxD): 9 1/8" x 8 7/8"

### PS-C83RT | PS-C83RWT

Dimensions (DiaxD): 11 1/16" x 9 7/8"

### PS-C43RTLP

Dimensions (DiaxD): 9 4/32" x 3 1/2"

### PS-C63RTLP

Dimensions (DiaxD): 11 1/16" x 4 1/3"

### **PENDANT**

Available in black and white









PS-P83WT

### PS-P43T Dimensions (DiaxH): 6 1/3" x 11"

### PS-P63T

Dimensions (DiaxH): 9 4/32" x 15 2/3"

### PS-P83T | PS-P83WT

Dimensions (DiaxH): 11 1/16" x 19 3/4"

### SURFACE MOUNT

Available in black and white



PS-S43T PS-S53T



PS-S63T





PS-S83T

PS-S83WT

### PS-S43T

Dimensions (WxHxD): 5 1/2" x 9 1/4" x 4 7/8"

### PS-S53T

Dimensions (WxHxD): 6 1/3" x 10 1/16" x 5 2/3"

### PS-S63T

Dimensions (WxHxD): 7 1/2" x 12 1/8" x 6 7/8"

### PS-S83T | PS-S83WT

Dimensions (WxHxD): 9" x 14" x 8 1/2"


### **SUBWOOFER**



PS-S210SUBT SUBWOOFER Dimensions (LxWxH): 33" x 14" x 9"




At IPORT, we believe in enhancing the utility of a dedicated-use tablet at home and at work by combining design, technology, and function so that you can experience iPad® in a whole new way. HOLD. CHARGE. PROTECT. IPAD®



RESIDENTIAL







CORPORATE

FOOD & BEVERAGE

FLEET

## HOLD. CHARGE. PROTECT.

IPad has become the go-to device to control the appdriven connected home. We believe that by creating ways to hold, charge and protect it, iPad transforms into an epic dedicated controller. Whether on the wall in fixed locations or free-floating throughout the home, IPORT offers a range of charging and mounting systems that add much-needed accessibility to iPad in home control applications.

It gets even better with optional hard buttons embedded in our enclosures that provide instant shortcuts to scenes and key functions for nearly any control system. Say hello to the IPORT family of products: enhancing the user experience of the app-driven connected home.



#### **IPORT LUXE**

The premium wireless charging and mounting system for iPad designed for charging on table-top or on-wall. Available in silver, black and white.



Case



BaseStation



WallStation



Wall Adapter Kit

#### LUXE CASES

iPad mini 4, 5th gen iPad, 5th & 6th gen iPad Pro 10.5", iPad Air 10.5", 3rd gen

#### LUXE CHARGING STATIONS

WallStation BaseStation

LUXE ACCESSORIES
Wall Adapter Kit



#### **IPORT LAUNCH**

A wireless charging system for iPad designed to hold, charge and protect iPad on a table, wall or in a vehicle. Available in silver, black and white.



Case



BaseStation



WallStation

#### LAUNCH SLEEVES

iPad mini 4, 5th gen iPad 5th & 6th gen

#### LAUNCH CHARGING STATIONS

Launch WallStation Launch BaseStation



#### **IPORT SURFACE MOUNT**

The most elegant way to mount iPad on a wall or solid surface. Available in black and white.



IT

T

Surface Mount



Surface Mount with Buttons

#### SURFACE MOUNT SYSTEM

iPad mini 4, 5th gen iPad 5th & 6th gen iPad Air 10.5", 3rd gen iPad Pro 12.9", 1st & 2nd gen

#### SURFACE MOUNT 6 BUTTONS SYSTEM

iPad mini 4, 5th gen iPad 5th & 6th gen iPad Pro 12.9", 1st & 2nd gen

#### SURFACE MOUNT 10 BUTTONS SYSTEM

iPad mini 4, 5th gen iPad 5th & 6th gen iPad Pro 12.9", 1st & 2nd gen



#### **xPRESS**

The Audio Keypad for Sonos®, allows you to control your Sonos® device anywhere, anytime. Play music, adjust volume, skip tracks, and assign favorites with the press of a button.



xPRESS Audio Keypad

xPRESS AUDIO KEYPAD xPRESS


# SONANCE TRUFIG

Sonance has long been the pioneer for disguising technology. Blending into architecture and design doesn't stop with speakers. With TRUFIG mounting technology, Sonance can disguise most technical elements within a room, from keypads, touch panels, and outlets, to HVAC vents and linear diffusers. Sonance continues to evolve the TRUFIG finish beyond sound to blend technology into any design.

**DESIGNED TO DISAPPEAR.** 







#### **RESERVE**

TRUFIG mounting platforms reserve the install location, allowing for precision placement and a clear distinction

# for other trades during construction.

#### **ALIGN**


The alignment process provides accurate leveling with the surrounding surface; the kind of details that Sonance believes makes all the difference.



#### **FINISH**

Once the Sonance TRUFIG components are in place, the surface can be finished around it, revealing a stunning elegance that allows the room design to prevail.







#### **SOLUTIONS**

TRUFIG can be applied across multiple disciplines and integrated into many surfaces.

- · Wiring Devices & Lighting Control
- · Touch Panels & iPad
- · HVAC
- · Linear Diffuser
- · Blank Fascia
- · Sonance Architectural Series Speakers
- · Sonance Invisible Speakers

#### **FINISHES**

The complete TRUFIG system installs flush with the wall, ensuring the integrity of the design space is not compromised. TRUFIG fascias are delivered in paintable white to allow faux painted finish matching on site by a qualified tradesperson. Explore the versatility that allows you to customize each device to match any surface.















Linear Diffusers





















# SONANCE DESIGN SERVICES

Ready to experience Sonance but not sure where to begin? Let us customize a layout for you. Sonance offers design services to support our customers. Our role is to help you maximize the value and performance of your Sonance speaker system. Service representatives are available whenever you need them to make sure your system performs as expected.

Contact Sonance Design Services at www.designservices@danainnovations.com



#### **OUTDOOR DESIGN**

Landscape Series Design Service provides a custom layout program for Sonance Landscape Series speaker systems. This service will convert any project's landscape plan into a discreet layout for each zone showing the best possible placement for all of the satellites and subwoofers, along with the appropriate recommended amplification.



# INDOOR AND COMMERCIAL DESIGN

Sonance Design Services also provides a custom layout program for all Reference, Visual Performance, Architectural Series, Invisible Series, and Professional Series speaker systems. Sonance's Design Services will convert any CAD or house plan into a customized layout for each audio zone showing the expert recommendation for placement.

## SONANCE PRODUCT INDEX

DISTRIE	SUTED AUDIO			DISTRI	BUTED AUDIO CONTINUED		
INVISIBLE	SERIES			SKU	MODEL	UOM	PAGE
SKU 92965 92966 92968 40127 92967 92969 92970 92722 92723	MODEL IS2 IS4 IS4 SST IS4 C ISW IS2 Small Enclosure IS4, IS4 SST, ISW Large Enclosure IS2 Small Space Saver IS4, IS4 SST, ISW Large Space Saver	UOM PR PR EA EA EA EA EA EA	PAGE 16 16 16 16 16 16 16 16 16	93020 93021 93022 93368 93338 93339 93340 93341 93342 93343 93028	VP62R TL VP66R TL VP62R SST/SUR TL VP52R UTL VPXT6 VPXT6R VPXT6R VPXT8R VPXT6SQ Square Adapter & Grille VPXT8SQ Square Adapter & Grille VP62 LCR	PR PR EA PR PR PR EA PR PR EA	21 21 21 21 22 22 22 22 22 22 22 22
ARCHITE	CTURAL SERIES			93084 93023	VP66 LCR VP46R SST/SUR	EA EA	22 22
93041 93042 93044 93074 93050 93050 93051 93052 93055 93324 93335 93362 93363	AS38RS AS68RS BPS8 ASBPC6RS 1/2" Medium Gypsum Mounting Platform Round 1/2" Medium Gypsum Mounting Platform Square 5/8" Medium Gypsum Mounting Platform Round 5/8" Medium Gypsum Mounting Platform Round 5/8" Medium Gypsum Mounting Platform Round 5/8" Solid Surface Medium Mounting Platform Round & Square BPS6 TL ASBPC3RS TL Trim Ring & Grilles 1/2" Discreet Gypsum Mounting Platform Round TL 1/2" Discreet Gypsum Mounting Platform Square TL	EA EA EA EA EA EA EA EA EA EA	18 18 18 18 18 18 18 18 18 18	93024 93025 93026 93027 93044 93097 93324 93334 93043 93118 93353 92741 92740	VP62R SST/SUR VP66R SST/SUR VP86R SST/SUR VP66 SST/SUR VP66 SST/SUR BPS8 VPBPC6R BPS6 TL VPBPC3R TL BPS6 VPBPC3R VPSUB VPSUB VP85R W VP85 W	EA EA EA EA EA EA EA EA EA	22 22 22 22 22 22 22 22 22 22 22 22 22
93364 93365	5/8" Discreet Gypsum Mounting Platform Round TL 5/8" Discreet Gypsum Mounting Platform Square TL	EA EA	18 18	C SERIE	S		
93043 93073 93045 93046	BPS6 ASBPC3RS 1/2" Discreet Gypsum Mounting Platform Round 1/2" Discreet Gypsum Mounting Platform Square	EA EA EA EA	18 18 18 18	93124 93125	C6R C6R SST	PR EA	21 21
93047	5/8" Discreet Gypsum Mounting Platform Round	EA	18	AMPLIFI 93091	SONAMP 2-100	EA	26
93048 93053 93367 <b>VISUAL P</b>	5/8" Discreet Gypsum Mounting Platform Square 5/8" Solid Surface Discreet Mounting Platform Round & Square Thin-Line Bandpass Slot Connector  ERFORMANCE	EA EA EA	18 18 18	93091 92446 93092 93378 93379	SONAMP 2-100 SONAMP 12-100 SONAMP 12-50 DSP 2-150 MKII DSP 2-750 MKII	EA EA EA EA	26 26 26 26 26
93000	VP42	PR	21	93331 93135	DSP 8-130 MKII SR 2-125	EA EA	26 26
93001 93002 93003 93004 93005	VP46 VP48 VP62 VP66 VP68	PR PR PR PR PR	21 21 21 21 21 21	93099 93361	Digital Input Module Hybrid Input Module  PERFORMANCE ACCESSORIES	EA EA EA	26 26 26
93005	VP82	PR	21	92246 92336	Large Rectangle Flex Bracket Medium Rectangle Flex Bracket	5PR 5PR	-
93008 93117 93009 93010 93011 93088 93012 93013 93014 93015 93089 93016 93017 93018 93120 93029 93030 93031	VP88 VP38R VP42R VP46R VP48R VP60R VP62R VP64R VP66R VP68R VP86R VP88R VP80R VP82R VP86R VP85Q Square Adapter & Grille VP6Q Square Adapter & Grille VP6Q Square Adapter & Grille	PR EA PR	21 21 21 21 21 21 21 21 21 21 21 21 21 2	92470 92247 92347 92344 92475 92066 92067 91708 91688 92242 92342 92442 92243 92243 92243 92243 92243	Small Rectangle Flex Bracket Large Round Flex Bracket Medium Round Flex Bracket Small Round Flex Bracket Medium Square Flex Bracket Medium LCR Flex Bracket Medium Rectangle Masonry Bracket Small Rectangle Masonry Bracket Large Rectangle Acoustic Enclosure Medium Rectangle Acoustic Enclosure Medium Rectangle Acoustic Enclosure Large Round Acoustic Enclosure Medium Round Acoustic Enclosure Large Rectangle Retrofit Enclosure Medium Rectangle Retrofit Enclosure Small Rectangle Retrofit Enclosure Large Round and SQ Retrofit Enclosure Medium Round and SQ Retrofit Enclosure Small Round and SQ Retrofit Enclosure	5PR 5PR 5PR 5PR EA PR EAA EAA PR PR PR PR	
93019	VP66 TL	PR PR	21 21	92836	Medium LCR Retrofit Enclosure	EA	-

### SONANCE PRODUCT INDEX

				SONARRAY		
SURROU	ND SOUND			93134 Sonarray SR1 System + Amplifier	EA	56
REFERENCE	Ε			92983 Sonarray SR1 System	EA	56
SKU	MODEL	UOM	PAGE	93135 SR 2-125 Amplifier 93139 SR1 SUB	EA EA	56 56
93344	R1	EA	32	93139 SR1 30B 93405 SR1 SAT 4-Pack	EA	56
93345 93346	R1SUR R2	EA EA	32 32			
93347	R2SUR	EA	32	VP EXTREME		
93348	R1CAB	EA	32	93338 VPXT6	PR	60
93351 93352	R1C R1CSUR	EA EA	32 32	93339 VPXT6R 93340 VPXT6R SST	PR EA	60 60
93354	R10SUB	EA	34	93341 VPXT8R	PR	60
93355 92874	R12SUB	EA EA	34 34	93342 VPXT6SQ Square Adapter & Grille	PR	60
92875	R10SUB ENC R12SUB ENC	EA	34	93343 VPXT8SQ Square Adapter and Grille	PR	60
93376	R10SUB ENC System	EA	34	MARINERS		
93377	R12SUB ENC System	EA	34	93148 Mariner 54 WHT	PR	62
CABINET SU	JBWOOFERS			93149 Mariner 54 BLK	PR	62
93356	i8	EA	36	93150 Mariner 56 WHT	PR	62
93357	i10	EA	36	93151 Mariner 56 BLK 93152 Mariner 64 WHT	PR PR	62 62
93358 93359	i12 D8 BLK	EA EA	36 38	93153 Mariner 64 BLK	PR	62
93374	D8 WHT	EA	38	93154 Mariner 66 WHT	PR	62
93360	Wireless Transmitter	EA	36	93155 Mariner 66 BLK	PR	62 62
SOUNDBAR				93156 Mariner 86 WHT 93157 Mariner 86 BLK	PR PR	62
93425	SB46-55	EA	40	93158 Mariner 54 SST WHT	EA	62
93426	SB46-65	EA	40	93159 Mariner 54 SST BLK	EA	62
93427	SB46-75	EA	40	93160 Mariner 64 SST WHT 93161 Mariner 64 SST BLK	EA EA	62 62
93428 93086	SB46-85 SB46M	EA EA	40 40	93101 Mariner 04 331 BEN	EA	02
93087	SB46L	ĒĀ	40	ROCKS		
				92743 RK63 Granite	PR	62
OUTDOO	R			92744 RK63 Brown 92745 RK83 Granite	PR PR	62 62
SONANCE L	ANDSCAPE SERIES			92746 RK83 Brown	PR	62
SKU	MODEL	UOM	PAGE	92887 RK10W Woofer Granite 92888 RK10W Woofer Brown	EA EA	62 62
93369	LS4T SAT	EA	46	J2000 KKIOW WOOTEI BIOWII		
93370	LS6T SAT	EΑ	46	COMMERCIAL		
93371 93372	LS12T SUB LS15T SUB	EA EA	46 46	COMMERCIAL		
93373	HS12T SUB	EA	46	PROFESSIONAL SERIES		
SONANCE L	ANDSCAPE SERIES 70V SYSTEMS			40130 PS-C43RT 40131 PS-C63RT	PR PR	68 68
93382	LS4T SAT/LS12T 8.1 SYSTEM w/ DSP	EA	_	40132 PS-C83RT	PR	68
93409	LS4T SAT/LS12T 8.2 SYSTEM w/ DSP	EA	-	40133 PS-C83RWT	EA	68 68
93410	LS6T SAT/LS12T 6.1 SYSTEM w/ DSP	EA	-	40181 PS-C43RTLP 40182 PS-C63RTLP	PR PR	68
93411 93412	LS6T SAT/LS12T 8.2 SYSTEM w/ DSP LS6T SAT/LS15T 8.1 SYSTEM w/ DSP	EA EA	-	40147 PS-S43T BLK	PR	68
	ANDSCAPE SERIES 8 OHM SYSTEMS			40142 PS-S43T WHT 40148 PS-S53T BLK	PR PR	68 68
		Ε.Δ		40143 PS-S53T WHT	PR	68
93383 93413	LS6T SAT/LS12T 4.1 SYSTEM w/ 2 DSP 2-750 MKII LS6T SAT/LS12T 4.1 SYSTEM w/ 2 DSP 2-150 MKII	EA EA	-	40149 PS-S63T BLK 40144 PS-S63T WHT	PR PR	68 68
				40150 PS-S83T BLK	PR	68
	ANDSCAPE SERIES 70V SYSTEMS			40145 PS-S83T WHT 40151 PS-S83WT BLK	PR EA	68 68
92925	Ground Post 19"	EA	48 48	40146 PS-S83WT WHT	EA	68
92924 92927	Ground Stake 9" Tree Mount	EA EA	48	40138 PS-P43T BLK 40134 PS-P43T WHT	PR PR	68 68
92926	Surface Mount	EA	48	40139 PS-P63T BLK	PR	68
SONANCE (	GARDEN SERIES			40135 PS-P63T WHT 40140 PS-P83T BLK	PR PR	68 68
93433	SGS 8.1 System + Amplifier	EA	54	40136 PS-P83T WHT	PR	68
93432	SGS 8.1 System	EA	54	40141 PS-P83WT BLK 40137 PS-P83WT WHT	EA EA	68 68
93135	SR 2-125 Amplifier	EΑ	54	40127 IS4 C	EA	68
93435 93436	SGS SUB SGS SAT 4-Pack	EA EA	54 54	40192 PS-S10SUBT		
33 700		<u>-</u> / \				

## IPORT PRODUCT INDEX

#### **iPORT**

- 1	ΛΙ	IN	ш.
_	$\sim$	יוע	п

SKU	MODEL	UOM	PAGE
70158	LAUNCH BaseStation Black	EA	74
70141	LAUNCH BaseStation Silver	EA	74
70170	LAUNCH WallStation Black	EA	74
70142	LAUNCH WallStation White	EA	74
70304	LAUNCH AM.2 Case MIni Black	EA	74
70305	LAUNCH AM.2 Case Mini White	EA	74
70300	LAUNCH AP.5 Case 9.7 Black	EA	74
70301	LAUNCH AP.5 Case 9.7 White	EA	74

#### LUXE

SKU         MODEL           71000         LUXE BaseStation Black           71001         LUXE BaseStation White           71001         LUXE BaseStation Silver           71003         LUXE WallStation Black           71004         LUXE WallStation White           71009         LUXE Case Mini 4   5 Black           71011         LUXE Case Mini 4   5 White           71010         LUXE Case Mini 4   5 Silver           71012         LUXE Case 9.7 Black           71014         LUXE Case 9.7 White           71013         LUXE Case 9.7 Silver           71015         LUXE Case 10.5 Black           71017         LUXE Case 10.5 White           71016         LUXE Wall Adapter Kit Black           71008         LUXE Wall Adapter Kit White           71007         LUXE Wall Adapter Kit Silver	UOM EAA EAAAAA EAAAAAA EAAAAAA EAAAAAAAAAA	PAGE 74 74 74 74 74 74 74 74 74 74 74 74 74
---	---	---

#### SURFACE MOUNT BEZELS

SKU	MODEL	UOM	PAGE
70700	SM Mini 123 Black Bezel	EA	74
70702	SM Mini 123 White Bezel	EA	74
70701	SM Mini 123 Silver Bezel	EA	74
70722	SM Mini 4   5 Black Bezel	EA	74
70724	SM Mini 4   5 White Bezel	EA	74
70723	SM Mini 4   5 Silver Bezel	EA	74
70703	SM 9.7 Black Bezel	EA	74
70705	SM 9.7 White Bezel	EA	74
70704	SM 9.7 Silver Bezel	EA	74
70796	SM 10.5 Black Bezel	EA	74
70798	SM 10.5 White Bezel	EA	74
70797	SM 10.5 Silver Bezel	EA	74
70743	SM Pro 12.5 Black Bezel	EA	74
70745	SM Pro 12.5 White Bezel	EA	74
70744	SM Pro 12.5 Silver Bezel	EA	74
70719	PoE Injector Black	EA	74
70718	PoE Splitter	EA	74
70720	SM Glass Kit	EA	74

#### SURFACE MOUNT W/ BUTTONS

SKU	MODEL	UOM	PAGE
70764	SMB Mini 4   5 Black 6B BZL + SPL	EA	74
70766	SMB Mini 4   5 White 6B BZL + SPL	EA	74
70765	SMB Mini 4   5 Silver 6B BZL + SPL	EA	74
70758	SMB Mini 4   5 Black 10B BZL + SPL	EA	74
70760	SMB Mini 4   5 White 10B BZL + SPL	EA	74
70759	SMB Mini 4   5 Silver 10B BZL + SPL	EA	74
70767	SMB 9.7 Black 6B Bezel + SPL	EA	74
70769	SMB 9.7 White 6B Bezel + SPL	EA	74
70768	SMB 9.7 Silver 6B Bezel + SPL	EA	74
70761	SMB 9.7 Black 10B Bezel + SPL	EA	74
70763	SMB 9.7 White 10B Bezel + SPL	EA	74
70762	SMB 9.7 Silver 10B Bezel + SPL	EA	74
70778	SMB Pro 12.9 Black 6B BZL + SPL	EA	74
70780	SMB Pro 12.9 White 6B BZL + SPL	EA	74
70779	SMB Pro 12.9 Silver 6B BZL + SPL	EA	74
70781	SMB Pro 12.9 Black 10B BZL + SPL	EA	74
70783	SMB Pro 12.9 White 10B BZL + SPL	EA	74
70782	SMB Pro 12.9 Silver 10B BZL + SPL	EA	74

#### **XPRESS**

SKU	MODEL	UOM	PAGE
70800	XPRESS Audio Keypad White	FΑ	74



©2019 Sonance. All rights reserved. Sonance, IPORT and TRUFIG are registered trademarks.

Due to continuous product improvement, all features and specifications are subject to change without notice.

For the latest Sonance product specification information visit our website: www.sonance.com

Sonance • 991 Calle Amanecer • San Clemente, CA 92673 USA 08.14.2019 | 338063